

Farhad Shirini

Personal CV

Personal data:

First name: Farhad

Family name: Shirini

Date and place of birth: 13/04/1965, Tehran

Nationality: Iranian

Sex: Male

Marital Status: Married

Postal address:

Department of Chemistry,
College of Science,
University of Guilan,
Rasht, Iran.

Email address: shirini@guilan.ac.ir; fshirini@gmail.com

Phone: +98 131 3226643

Fax: +98 131 3220066

Education:

Ph.D., Organic Chemistry, Shiraz University, Shiraz, Iran (1991-1995)

Thesis title:

Part A: Synthesis of some stable derivatives of cyclobutadiene

Part B: New synthetic methodologies

a: Some application of WCl₆ in organic chemistry

b: Deprotection and oxidative deprotection of trimethylsilyl ethers

Supervisor: Professor Habib Firouzabadi

M.Sc., Organic Chemistry, Shiraz University, Shiraz, Iran (1988-1990)

Thesis title: Reactions of epoxides with one electron transfer agents

Supervisor: Professor Naser Iranpoor

B.Sc., Chemistry, Shiraz University, Shiraz-Iran (1983-1987)

Employment:

Professor of Organic Chemistry, University of Guilan, Rasht, Iran

Memberships:

Editor-in-Chief: Journal of the Multicomponent Reactions.

Editorial Board: International Journal of Chemical Sciences.

Editorial Board: Journal of Nano-structure in Chemistry.

Editorial Board: Organic Chemistry Research.

Awards:

1. *Distinguished Researcher of Guilan Province, 2003.*
2. *Distinguished Researcher of The University of Guilan, 2003.*
3. *Distinguished Researcher of The University of Guilan, 2004.*
4. *Distinguished Researcher of The University of Guilan, 2005.*
5. *Distinguished Researcher of the College of Science of The University of Guilan, 2007.*
6. *Distinguished Professor of The University of Guilan, 2007.*
7. ***One of the distinguished scientists in OIC countries, introduced by COMSTECH in : "Leading scientists and engineers of OIC member states", Islamabad, Pakistan, 2008.***
<http://www.comstech.org>
8. *Distinguished Researcher of Guilan Province, 2008.*
9. *Distinguished Researcher of Guilan Province, 2009.*
10. *Distinguished Professor of The University of Guilan, 2009.*
11. ***Introduction as one of the one percent highly cited scientists of the world (ISI), from 2009.***
12. *Distinguished Professor of The University of Guilan, 2010.*
13. *Distinguished Professor of The University of Guilan, 2011.*
14. ***Candidate for Eni Award 2013.***
15. *Distinguished Researcher of The University of Guilan, 2012.*
16. *Distinguished Researcher of The University of Guilan, 2013.*
17. *Distinguished Researcher of The University of Guilan, 2014.*
18. ***Distinguished Professor of Organic Chemistry in Iran, 2014 (Selected by Iranian Chem. Soc.).***
19. *Distinguished Professor of The University of Guilan, 2015.*
20. ***Candidate for Eni Award 2015.***
21. *Distinguished Lecturer of The University of Guilan, 2017.*
22. *Distinguished Researcher of The University of Guilan, 2017.*
23. *Distinguished Researcher of The University of Guilan, 2018.*
24. *Distinguished Professor of The University of Guilan, 2018.*
25. *Distinguished Researcher of The University of Guilan, 2019.*
26. *Distinguished Professor of The University of Guilan, 2019.*
27. *Distinguished Professor of The University of Guilan, 2020.*
28. *Distinguished Researcher of The University of Guilan, 2021.*
29. *Distinguished Professor of The University of Guilan, 2022.*
30. ***Distinguished Professor of The Islamic Republic of IRAN, 2022.***
31. ***Distinguished Researcher of The Islamic Republic of IRAN, 2023.***
32. ***Distinguished Researcher for The 37th Khwarizmi International Award, 2024.***
33. ***Introduction as one of the half percent highly cited scientists of the world (ISI), in 2025.***

h-Index: 48; Citations: 9099

Research Interests:

1. Oxidation of organic compounds in solution and solvent free conditions with chromium (IV) and Ce(IV) based oxidants.
2. Oxidation of organic compounds with polymer supported reagents.
3. Synthesis and ring opening of three membered heterocyclic compounds.
4. Synthesis of new derivatives of silica gel and investigation on their applications in organic chemistry.
5. Investigation in the application of hydrogen sulfates in organic reactions.
6. Preparation, characterization and use of nanocatalysts in organic reactions.
7. Preparation and use of ionic liquids and deep eutectic solvents in organic reactions.
8. Introduction of solid supports for the stabilization of catalysts.

Master of Science Students:

1. A. Akbar
2. F. Jalili
3. M. Azadbar
4. A. Pourhabib
5. B. Mallakpour
6. F. Parsa
7. M. Khaleghi
8. H. Karimi
9. S. Dezyani
10. K. Mohammadi
11. M. Abedini
12. A. Safari
13. Z. Hejazi
14. S. Torabi
15. E. Mollarazi
16. A. Rahmanzadeh
17. H. Abedini
18. H. Aghajanpour
19. M. Paktinat
20. A. Shahriari
21. S. Saeidi
22. M. Khademian
23. Z. Neyestani
24. M. Mahdavi Pop-Kiadeh
25. A. R. Mousazadeh Hassani
26. D. Imani
27. A. R. Sakhaei
28. P. Sadeghzadeh
29. M. Ghasemi
30. M. Safarpour-Langroudi
31. A. Pourvali
32. K. Mirhashemi-Jorshari
33. T. Mostashari

34. M. Alipour Khoshdel
35. M. Ghods
36. M. Akbari
37. M. Mashhadi Nejad
38. M. Naghdi
39. O. Goli Jolodar
40. M. Ghazi Jirdehi
41. S. Sarvi Beigbaghlou
42. M. Abroon
43. R. Poorhasan
44. P. Fazeli
45. A. Rahmaninia
46. S. Esmacili
47. Shabani
48. Zamani
49. A. Nasiri Abkenar
50. M. Shamsi-Sani
51. A. Shoja
52. Kafie
53. M. Biglari
54. M. Poorghasemi
55. Moayedi
56. Zarrabzadeh
57. Mazlumi
58. Makhsous
59. Mousapour
60. Omran
61. Akbari
62. Ghauri
63. Jashnani
64. Seyedi
65. Rastgoo
66. Nabi-Nia
67. Nazemi
68. Shirzad
69. Moridani
70. Momenpour
71. Nasiri
72. Jamasbi
73. Irankhah
74. Askari
75. Darvishzad
76. Omid
77. Nazari
78. Pakpour
79. Rahmati

80. Sahmani
81. Yeganeh
82. Hosseini
83. Azizi
84. Haghpanah
85. Kakavand
86. Asadi
87. Ramtin Yari-Nia
88. Saeidavi
89. Ale-Aba
90. Khedmatgozar
91. Navvabi (Int. Stud.)
92. Reza Rezaei
93. Janan Metghalchi
94. Ramezanpoor
95. Sepideh Poordasht
96. Mehran Hosseini Moghaddam
97. Fatemeh Shahi
98. Shayan Aminian
99. Nejad Ramezan
100. Rahimi
101. Esmacili
102. Nabizadeh (Int. Stud.)
103. Mir Agha Saei (Int. Stud.)
104. Fekrat (Int. Stud.)
105. Sajjad Samiei
106. Nima Varaei
107. Hadis Sepoo
108. Sadeghi
109. Shemshadi
110. Mirzaei
111. Frutan (Int. Stud.)
112. Mohaddeseh Mohammadi Nejad
113. Aghaei
114. Rahimizadeh
115. Asadi
116. Pedram Ashoori
117. Mahla Dorostkar
118. Sarvnaz Raeoofi
119. Nazanin Jalayer
120. Mohaddesh Amiri
121. Zahra Vazehi
122. Sara Asghari
123. Negin Khajavi
124. Fatehi Fard
125. Kimia Alimohammadi

126. Rezaei
127. Hassani
128. Paria Bolandi
129. Ayda Samadi
130. Yalda Zaman Sani
131. Mohammadian
132. Esmacili
133. Karimi

Ph. D. Students:

1. H. Taherpour Nahzomi
2. A. R. Abri
3. M. Abedini
4. J. Albadi
5. V. Atghia
6. N. Ghaffari Khaligh
7. S. Akbari
8. M. Seddighi
9. M. Mohsenimehr
10. K. Mohammadi
11. L. Samavi
12. Z. Dalil Heyrati
13. M. Safarpour-Langroudi
14. M. Mashhadi Nejad
15. O. Goli-Jolodar
16. N. Daneshvar
17. H. Nazarpour
18. F. Kamali
19. R. Poorhasan
20. Haghighat
21. Hariri
22. Hasanzadeh
23. M. Shamsi-Sani
24. Zabihzadeh
25. Mousazadeh Moghaddam
26. Karimi
27. Niloofar Safari
28. Poorghasemi
29. Sharifi
30. Mazloumi
31. Khakiani
32. Alipour
33. Biglari
34. Pourayooob
35. Rahmanzadeh
36. Seyyedi

37. Abdollahi-Basir
38. Pir-Delzandeh
39. Sahra Peyma
40. Naddaf
41. Yazdanfar
42. Nazemi
43. Darvishzad
44. Jashnani
45. Hosseyn Khorram Abadi
46. Jahangir Vazifeh
47. Alijani
48. Janan Metghalchi
49. Ramezanpoor
50. Shafiei
51. Jannesar
52. Hanifi
53. Bagherian
54. Rahimizadeh
55. Haghgoo
56. Moosavian
57. Ghasemi
58. Yaghoobzadeh
59. Nesa Haghgoo
60. Shakoori
61. Farahi
62. Nasiri Abkenar
63. Omidi

Post Doc Students:

1. Mostafa Golshekan

Title of the project:

Synthesis and characterization of new nano-composites and evaluation of their performance as heterogeneous and recyclable catalysts in chemical processes.

2. Seyyede Cobra Azimi

Title of the project:

Use of advanced oxidation process for pre-treatment of chipboard wastewater and formalin removal of Arian wood Company.

3. Mahdiah Haghighat

(The first international Post Doc student of the University of Guilan-In cooperation with Prof. Pascal Van Der Voort-Ghent University)

Title of the project:

Synthesis and characterization of periodic mesoporous organosilicas for CO₂ uptake and heterogeneous catalysis

4. Mostafa Zamani

Title of the project:

Improving efficacy of photodynamic therapy utilizing D-Block AxB1-xC₂O₄ compounds for Breast Cancer treatment: Synthesis, characterization, biocompatibility, *In vitro* and *In vivo* study.

5. Masoumeh Mazloumi

Title of the project:

Preparation, identification and use of the active nanozymes based on metal-organic frameworks in the promotion of the synthesis of some the important organic heterocyclic compound

6. Eisa Ebrahimi

Title of the project:

Simulation and application of natural mineral nanoparticles to reduce the concentration of phosphorus and heavy metals in Anzali wetland

Book Chapters:

1. A. Mohammad, Inamuddin, "Green Solvents II: Properties and applications of ionic liquids", Springer, Netherland, 2012, Chapter 12.

2. A. Mohammad, Inamuddin, "Green Solvents II: Properties and applications of ionic liquids", Springer, Netherland, 2012, Chapter 14.

3. Farhad Shirini, Mohadeseh Seddighi, Masoumeh Abedini, and Laleh Samavi, "Applications of Nano-Catalysts in Protecting Organic Functional Groups", Encyclopedia of nanoscience and nanotechnology, 2016 (30 pages).

4. Farhad Shirini, Omid Goli-Jolodar, Mohadeseh Seddighi, "Applications of Nanocatalysts in Multi-Component Reactions", Encyclopedia of nanoscience and nanotechnology, 2016 (83 pages).

Referee for National and International Journals:

- a. Journal of the Organic Chemistry
- b. Synthesis
- c. Letters in Organic Chemistry
- d. Current Organic Chemistry
- e. Sulfur Chemistry
- f. Arkivoc
- g. Synthetic Communications
- h. Journal of the Chemical Research
- i. Chinese Chemical Letters
- j. Bulletin of the Korean Chemical Society

- k. Dyes and Pigments
- l. Journal of Molecular Catalysis A: Chem.
- m. Catalysis Communications
- n. Phosphorus, Sulfur, Silicon and the Related Elements
- o. Journal of Heterocyclic Chemistry
- p. Journal of the Iranian Chemical Society
- q. Scientia Iranica
- r. Iranian J. Catalysis
- s. RSC Adv.
- t. Research on Chemical Intermediates
- u. ChemistrySelect
- v. Polycyclic Aromatic Compounds
- w. ChemistrySelect
- x. Silicon
- y. Materials Chemistry and Physics
- z. Chemical Papers

Publications:

A: From the M. Sc. Thesis:

1. N. Iranpoor, I. M. Baltork, F. Shirini
Ceric ammonium nitrate, as an efficient catalyst for mild and selective opening of epoxides in the presence of water, thiols and acetic acid. (1991) Tetrahedron, 47, 9861.
2. N. Iranpoor, F. Shirini
Tris[trinitrato Ce(IV)]paraperiodate, as an efficient heterogeneous catalyst for alcoholysis, acetolysis and hydrolysis of epoxides. (1994) Synth. Commun., 24, 1959.
3. N. Iranpoor, P. Salehi, F. Shirini
Coupling of thiols and selenols catalyzed by tris[trinitrato cerium(IV)]paraperiodate. (1995) J. Org. Prep. Procedure Int., 27, 216.

B: From the Ph. D. Thesis:

4. H. Firouzabadi, F. Shirini
Deprotection and direct oxidative deprotection of trimethylsilyl ethers to corresponding alcohols and carbonyl compounds with $[(\text{NO}_3)_3 \text{Ce}]_3 \cdot \text{H}_2\text{IO}_6$ in an aprotic solvent. (1996) Synth. Commun., 26, 423.
5. H. Firouzabadi, F. Shirini
 $[(\text{NO}_3)_3 \text{Ce}]_2 \text{CrO}_4$ vs $[(\text{NO}_3)_3 \text{Ce}] \text{CrO}_4 \cdot 2\text{H}_2\text{O}$ in the oxidation of trimethylsilyl ethers. (1996) Synth. Commun., 26, 649.
6. H. Firouzabadi, F. Shirini

New applications of tungsten hexachloride (WCl_6) in organic synthesis. Halo-dehydroxilation and dihalo-de-oxo-bisubstitution reactions.
(1996) Tetrahedron, 52, 14929.

C: From the Research Group Studies:

1-1. Zolfigol, M.A.*, Shirini, F., Choghamarani, A.G., Taqian-Nasab, A., Keypour, H., Salehzadeh, S.

Chemoselective N-nitrosation of secondary amines under mild and heterogeneous conditions *via* in situ generation of NOCl.

(2000) Journal of Chemical Research - Part S, (9), 420-422.

2-1. Shirini, F.*, Tajik, H., Aliakbar, A., Akbar, A.

Oxidation of benzyl alcohols and acyloins with $(\text{NO}_3)_3\text{CeBrO}_3$.

(2001) Synthetic Communications, 31 (5), 767-770.

3-2. Zolfigol, M.A.*, Chehardoli, G., Shirini, F., Mallakpour, S.E., Nasr-Isfahani, H.

Oxidation of urazoles to their corresponding triazolinediones under mild and heterogeneous conditions *via* in situ generation of NO^+IOx^- .

(2001) Synthetic Communications, 31 (13), 1965-1970.

4-3. Shirini, F.*, Azadbar, M.R.

$[(\text{NO}_3)_3\text{Ce}]_3.\text{H}_2\text{IO}_6$: As a versatile and efficient reagent for cleavage of carbon-nitrogen double bonds under heterogeneous and non-aqueous conditions.

(2001) Synthetic Communications, 31 (24), 3775-3779.

5-4. Shirini, F.*, Tajik, H., Jalili, F.

Polymer supported reagents: Oxidative selection between benzylic alcohols.

(2001) Synthetic Communications, 31 (19), 2885-2889.

6-5. Zolfigol, M.A.*, Choghamarani, A.G., Shirini, F., Keypour, H., Salehzadeh, S.

Chemoselective N-nitrosation of secondary amines under mild and heterogeneous conditions.

(2001) Synthetic Communications, 31 (3), 359-365.

7-6. Shirini, F.*, Zolfigol, M.A., Lakouraj, M.M., Azadbar, M.R.

Efficient oxidation of sulfides to sulfoxides and of thiols to disulfides with aqueous HIO_3 .

(2001) Russian Journal of Organic Chemistry, 37 (9), 1340-1341.

8-7. Shirini, F.*, Zolfigol, M.A., Azadbar, M.R.
Oxidation of benzyl alcohols under mild heterogeneous conditions.
(2001) Russian Journal of Organic Chemistry, 37 (11), 1600-1602.

9-8. Shirini, F.*, Pourhabib, A., Azadbar, M.R.
Oxidation of benzylic alcohols by tris[trinitrato Ce(IV)] paraperiodate in solvent free condition.
(2001) Asian Journal of Chemistry, 13 (4), 1637-1639.

10-9. Shirini, F.*, Ali Zolfigol, M., Pourhabib, A.
ZrCl₄/wet SiO₂ promoted oxidation of alcohols by (NH₄)₂[Cr₂O₇] in solution and solvent free condition.
(2001) Journal of Chemical Research - Part S, (11), 476-477.

11-10. Zolfigol, M.A.*, Shirini, F., Ghorbani Choghamarani, A., Shiri, A., Keypour, H., Salehzadeh, S.
Chemoselective *N*-nitrosation of secondary amines under mild and heterogeneous conditions with ZrCl₄/NaNO₂.
(2001) Asian Journal of Chemistry, 13 (3), 849-853.

12-11. Shirini, F.*, Zolfigol, M.A., Mallakpour, B., Mallakpour, S.E., Hajipour, A.R.
Oxidation of alcohols by (NH₄)₂Cr₂O₇ in solution and under solvent-free conditions.
(2001) Australian Journal of Chemistry, 54 (6), 405-406.

13-1. Shirini, F.*, Zolfigol, M.A., Azadbar, M.R.
Efficient solvent free deoximation and dehydrazonation with HIO₃ in the presence of wet SiO₂.
(2002) Synthetic Communications, 32 (3), 315-318.

14-2. Shirini, F.*, Zolfigol, M.A., Pourhabib, A.
Efficient cleavage of carbon-nitrogen double bonds under solvent free conditions.
(2002) Synthetic Communications, 32 (18), 2837-2841.

15-3. Zolfigol, M.A.*, Shirini, F., Ghorbani Choghamarani, A.
Silica chloride/NaNO₂ as a novel heterogeneous system for the nitrosation of secondary amines under mild conditions.
(2002) Synthetic Communications, 32 (12), 1809-1813.

16-4. Dezhampannah, H., Shirini, F.*

Redox polymerization of acrylonitrile initiated by the system tris trinitratocerium(IV) paraperiodate-propane-1,2-diol.

(2002) Asian Journal of Chemistry, 14 (2), 1111-1113.

17-5. Shirini, F.*, Zolfigol, M.A., Mallakpour, B., Mallakpour, S.E., Hajipour, A.R., Baltork, I.M.

A mild and efficient method for cleavage of C=N using Mg (HSO₄)₂ in the presence of wet SiO₂.

(2002) Tetrahedron Letters, 43 (8), 1555-1556.

18-6. Shirini, F.*, Mamaghani, M., Parsa, F., Mohammadpour-Baltork, I.

Efficient cleavage of C=N under heterogeneous and non-aqueous conditions.

(2002) Bulletin of the Korean Chemical Society, 23 (11), 1683-1684.

19-7. Zolfigol, M.A.*, Shirini, F., Choghamarani, A.G., Mohammadpour-Baltork, I.

Silica modified sulfuric acid/NaNO₂ as a novel heterogeneous system for the oxidation of 1,4-dihydropyridines under mild conditions.

(2002) Green Chemistry, 4 (6), 562-564.

20-8. Mamaghani, M., Shirini, F., Parsa, F.*

Prolinium chlorochromate as a new mild and efficient oxidant for alcohols.

(2002) Russian Journal of Organic Chemistry, 38 (8), 1164-1166.

21-9. Tajik, H.*, Shirini, F.*, Farahkah, O.R., Lakouraj, M.M., Baltork, I.M.

Coupling of thiols catalyzed by trinitratocerium(IV) bromate.

(2002) Russian Journal of Organic Chemistry, 38 (9), 1384-1385.

22-1. Shirini, F.*, Zolfigol, M.A., Khaleghi, M., Mohammadpour-Baltork, I.

Silica chloride/wet SiO₂ as a novel heterogeneous system for deprotection of oximes, hydrazones, and semicarbazones.

(2003) Synthetic Communications, 33 (11), 1839-1844.

23-2. Shirini, F.*, Zolfigol, M.A., Mallakpour, B., Mohammadpour-Baltork, I.,

Mallakpour, S.E., Hajipour, A.R.

Solvent free oxidation of thiols by (NH₄)₂Cr₂O₇ in the presence of Mg(HSO₄)₂ and wet SiO₂.

(2003) Journal of Chemical Research - Part S, (1), 28-29.

24-3. Shirini, F.*, Lakouraj, M.M., Mohammadpour-Baltork, I., Asadi, D.
Polymer supported reagents: Oxidative selection between thiols.
(2003) Synthetic Communications, 33 (11), 1833-1837.

25-4. Zeynizadeh, B.*, Shirini, F.
Mild and efficient reduction of α,β -unsaturated carbonyl compounds, α -diketones and
acyloins with sodium borohydride/Dowex1-x8 system.
(2003) Bulletin of the Korean Chemical Society, 24 (3), 295-298.

26-5. Shirini, F.*, Mohammadpour-Baltork, I., Hejazi, Z., Heravi, P.
Caffeinium chlorochromate: As a mild and efficient reagent for oxidation of alcohols
and chemoselective oxidative cleavage of oximes.
(2003) Bulletin of the Korean Chemical Society, 24 (4), 517-518.

27-6. Shirini, F.*, Zolfigol, M.A., Mohammadi, K.
Acetyl-tethering silica as a novel reagent for acetylation of alcohols under mild and
heterogeneous conditions.
(2003) Bulletin of the Korean Chemical Society, 24 (4), 519-520.

28-7. Zeynizadeh, B., Shirini, F.*
Mild and efficient method for reduction of aldehydes and ketones with NaBH_4 in the
presence of Dowex1-x8.
(2003) Journal of Chemical Research - Part S, (6), 335-339.

29-8. Shirini, F.*, Zolfigol, M.A., Mohammadi, K.
Acetylation and formylation of alcohols in the presence of silica sulfuric acid.
(2003) Phosphorus, Sulfur and Silicon and the Related Elements, 178 (7), 1617-1621.

30-9. Shirini, F.*, Zolfigol, M.A., Mohammadi, K.
A mild and efficient method for chemoselective silylation of alcohols using
hexamethyldisilazane in the presence of silica chloride.
(2003) Phosphorus, Sulfur and Silicon and the Related Elements, 178 (7), 1567-1570.

31-10. Zolfigol, M.A.*, Shirini, F., Choghamarani, A.G., Ghofrani, E.
Silica chloride/ NaNO_2 as a novel heterogeneous system for production of thionitrites and
disulfides under mild conditions.
(2003) Phosphorus, Sulfur and Silicon and the Related Elements, 178 (7), 1477-1481.

32-11. Shirini, F.*, Zolfigol, M.A., Khaleghi, M.
Oxidation of alcohols using $(\text{NH}_4)_2\text{Cr}_2\text{O}_7$ in the presence of silica chloride/wet SiO_2 in solution and under solvent free conditions.
(2003) Bulletin of the Korean Chemical Society, 24 (7), 1021-1022.

33-12. Zolfigol, M.A.*, Shirini, F., Ghorbani Choghamarani, A., Mohammadpoor-Baltork, I.
Silica chloride/ NaNO_2 as a novel heterogeneous system for the oxidation of 1,4-dihydropyridines under mild conditions via in situ generation of NOCl .
(2003) Phosphorus, Sulfur and Silicon and the Related Elements, 178 (8), 1709-1715.

34-13. Shirini, F.*, Ali Zolfigol, M., Pourhabib, A.
Chemoselective solvent-free deoximation by $(\text{NH}_4)_2\text{Cr}_2\text{O}_7$ in the presence of ZrCl_4 on wet SiO_2 .
(2003) Russian Journal of Organic Chemistry, 39 (8), 1191-1192.

35-14. Shirini, F.*, Zolfigol, M.A., Khaleghi, M.
Silica chloride as a mild and efficient reagent for acetylation of alcohols.
(2003) Phosphorus, Sulfur and Silicon and the Related Elements, 178 (9), 1999-2002.

36-15. Zolfigol, M.A., Shirini, F., Chogamarani, A.G.
Silica chloride/ NaNO_2 as a novel heterogeneous system for the nitration of phenols under mild conditions.
(2003) Phosphorus, Sulfur and Silicon and the Related Elements, 178 (9), pp. 2019-2025.

37-16. Shirini, F.*, Zolfigol, M.A., Safari, A., Mohammadpoor-Baltork, I., Mirjalili, B.F.
Regeneration of carbonyl compounds by cleavage of $\text{C}=\text{N}$ bonds under mild and completely heterogeneous conditions.
(2003) Tetrahedron Letters, 44 (40), 7463-7465.

38-17. Shirini, F.*, Zolfigol, M.A., Khaleghi, M.
Efficient oxidation of alcohols with KBrO_3 in the presence of silica chloride and wet SiO_2 .
(2003) Phosphorus, Sulfur and Silicon and the Related Elements, 178 (10), 2107-2110.

39-18. Shirini, F.*, Zolfigol, M.A., Mohammadi, K.
Silica sulfuric acid as an efficient reagent for the synthesis of symmetrical ethers under mild and heterogeneous conditions.

(2003) Phosphorus, Sulfur and Silicon and the Related Elements, 178 (11), 2357-2361.

40-19. Shirini, F.*, Zolfigol, M.A., Abedini, M., Salehi, P.
Oxidation of alcohols using $(\text{NH}_4)_2\text{Cr}_2\text{O}_4$ in the presence of $\text{Al}(\text{HSO}_4)_3$ and wet SiO_2 .
(2003) Mendeleev Communications, 13 (6), pp. 265-267.

41-20. Shirini, F.*, Zolfigol, M.A., Abedini, M., Salehi, P.
 $\text{Al}(\text{HSO}_4)_3$ catalyzed acetylation and formylation of alcohols.
(2003) Bulletin of the Korean Chemical Society, 24 (11), 1683-1685.

42-21. Zolfigol, M.A.*, Poor-Baltork, I.M., Mirjalili, B.F., Shirini, F., Salehzadeh, S.,
Keypour, H., Ghorbani-Choghamarani, A., Zebarjadian, M.H., Mohammadi, K., Hazar,
A.
Silica sulfuric acid/wet SiO_2 as a novel heterogeneous system for cleavage of carbon
nitrogen double bonds under mild conditions.
(2003) Phosphorus, Sulfur and Silicon and the Related Elements, 178 (12), 2735-2743.

43-1. Shirini, F.*, Zolfigol, M.A., Khaleghi, M.
Oxidative coupling of thiols in solution and under solvent-free conditions.
(2004) Mendeleev Communications, 14 (1), 34-35.

44-2. Shirini, F.*, Zolfigol, M.A., Mohammadi, K.
Silica sulfuric acid as a mild and efficient reagent for the acetylation of alcohols in
solution and under solvent free conditions.
(2004) Bulletin of the Korean Chemical Society, 25 (2), 325-327.

45-3. Shirini, F.*, Zolfigol, M.A., Abedini, M.
 $\text{Al}(\text{HSO}_4)_3$ as an efficient catalyst for the acetylation of alcohols in solution and under
solvent free conditions.
(2004) Monatshefte für Chemie, 135 (3), 279-282.

46-4. Tajbakhsh, M.*, Lakouraj, M.M., Shirini, F., Habibzadeh, S., Nikdoost, A.
Zirconium borohydride piperazine complex, an efficient, air and thermally stable
reducing agent.
(2004) Tetrahedron Letters, 45 (16), 3295-3299.

47-5. Zolfigol, M.A.*, Shirini, F., Zamani, K., Ghofrani, E., Ebrahimi, S.
Silica phosphoric acid/ NaNO_2 as a novel heterogeneous system for the coupling of thiols

to their corresponding disulfides.

(2004) Phosphorus, Sulfur and Silicon and the Related Elements, 179 (11), 2177-2182.

48-1. Shirini, F.*, Zolfigol, M.A., Safari, A.

A mild and efficient method for the acetylation of alcohols.

(2005) Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry, 44 (1), 201-203.

49-2. Shirini, F.*, Dabiri, M., Dezyani, S., Jalili, F.

Polymer-supported reagents. Mild and efficient method of oxidation of alcohols.

(2005) Russian Journal of Organic Chemistry, 41 (3), 390-392.

50-3. Shirini, F.*, Zolfigol, M.A., Mallakpour, B.

Mild and efficient procedure for acetylation and formylation of alcohols in the presence of $\text{Mg}(\text{HSO}_4)_2$.

(2005) Russian Journal of Organic Chemistry, 41 (4), 634-635.

51-4. Lakouraj, M.M.*, Tajbakhsh, M., Shirini, F., Tamami, M.V.A.

HIO_3 in the presence of wet SiO_2 : A mild and efficient reagent for selective oxidation of sulfides to sulfoxides under solvent-free conditions.

(2005) Synthetic Communications, 35 (6), 775-784.

52-5. Zolfigol, M.A.*, Shirini, F., Mohammadpoor-Baltork, I., Choghamarani, A. Gh., Hajjami, M., Sedaghat, A.M.

Silica chromate as an oxidising agent for the chemoselective oxidation of alcohols and the oxidative deprotection of trimethylsilyl ethers.

(2005) Mendeleev Communications, (3), 113-116.

53-6. Shirini, F.*, Zolfigol, M.A., Mollarazi, E.

$\text{KBrO}_3/\text{ZrClO}_2 \cdot 8\text{H}_2\text{O}$: An efficient reagent system for the oxidation of alcohols.

(2005) Synthetic Communications, 35 (11), 1541-1545.

54-7. Tajik, H.*, Shirini, F.*, Hassan-Zadeh, P., Rashtabadi, H.R.

Bromination of aromatic compounds with potassium bromide in the presence of poly(4-vinylpyridine)-supported bromate in nonaqueous solution.

(2005) Synthetic Communications, 35 (14), 1947-1952.

55-8. Shirini, F.*, Zolfigol, M.A., Torabi, S.
Chromium trioxide supported on $\text{NaHSO}_4 \cdot \text{H}_2\text{O}$: Simple oxidation of alcohols in solution and solvent free conditions.
(2005) Letters in Organic Chemistry, 2 (6), 544-546.

56-9. Shirini, F.*, Zolfigol, M.A., Abedini, M.
 $\text{Al}(\text{HSO}_4)_3$ as an efficient reagent for the selective trimethylsilylation of primary alcohols under solvent-free conditions.
(2005) Phosphorus, Sulfur and Silicon and the Related Elements, 180 (10), 2299-2302.

57-10. Lakouraj, M.M.*, Tajbakhsh, M., Shirini, F., Asady Tamami, M.V.
Chemoselective deprotection of thioacetals/thioketals using HIO_3 in the presence of wet SiO_2 under mild solvent-free conditions.
(2005) Phosphorus, Sulfur and Silicon and the Related Elements, 180 (11), 2423-2429.

58-11. Shirini, F.*, Zolfigol, M.A., Safari, A.
 $\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$ assisted oxidation of alcohols with $(\text{NH}_4)_2\text{Cr}_2\text{O}_7$.
(2005) Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry, 44 (11), 2383-2386.

59-12. Shirini, F.*, Zolfigol, M.A., Mohammadpoor-Baltork, I., Abedidni, M.
Selective oxidative deprotection of trimethylsilyl ethers in solution and under a solvent free condition.
(2005) Bulletin of the Korean Chemical Society, 26 (11), 1833-1835.

60-13. Shirini, F.*, Zolfigol, M.A., Mollarazi, E.
Solvent-free synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones using trichloroisocyanuric acid.
(2005) Letters in Organic Chemistry, 2 (8), 718-720.

61-14. Shirini, F.*, Zolfigol, M.A., Torabi, S.
Chromium trioxide supported on $\text{NaHSO}_4 \cdot \text{H}_2\text{O}$: Efficient oxidative deprotection of trimethylsilyl ethers in solution and under solvent free conditions.
(2005) Letters in Organic Chemistry, 2 (8), 760-762.

62-15. Shirini, F.*, Zolfigol, M.A., Abedini, M.
Silylation and tetrahydropyranylation of alcohols catalyzed by $\text{Al}(\text{HSO}_4)_3$.
(2005) Bulletin of the Chemical Society of Japan, 78 (11), 1982-1985.

63-16. Shirini, F.*, Esm-Hosseini, M., Hejazi, Z.
(NO₃)₃CeBrO₃: Solvent-free oxidation of alcohols and deprotection and oxidative
deprotection of trimethylsilyl ethers.
(2005) Synthetic Communications, 35 (22), 2913-2919.

64-1. Shirini, F.*, Esm-Hosseini, M., Hejazi, Z., Mohammadpoor-Baltork, I.
[Ce(NO₃)₃]-H₂IO₆: Efficient oxidation reactions under solvent-free conditions.
(2006) Journal of Chemical Research, (1), 29-31.

65-2. Tajik, H.*, Shirini, F.*, Zolfigol, M.A., Samimi, F.
Convenient and efficient method for the iodination of benzylic and aliphatic alcohols by
using Al(HSO₄)₃/KI in nonaqueous solution.
(2006) Synthetic Communications, 36 (1), 91-95.

66-3. Shirini, F.*, Zolfigol, M.A., Safari, A.
Efficient acetylation and formylation of alcohols in the presence of Zr(HSO₄)₄.
(2006) Journal of Chemical Research, (3), 154-156.

67-4. Zolfigol, M.A.*, Bagherzadeh, M., Niknam, K., Shirini, F., Mohammadpoor-
Baltork, I., Ghorbani Choghamarani, A., Baghbanzadeh, M.
Oxidation of 1,4-dihydropyridines under mild and heterogeneous conditions using solid
acids.
(2006) Journal of the Iranian Chemical Society, 3 (1), 73-80.

68-5. Shirini, F.*, Mollarazi, E.
Trimethylsilylation of alcohols and phenols using KBr as an efficient and reusable
catalyst.
(2006) Synthetic Communications, 36 (8), 1109-1115.

69-6. Shirini, F.*, Zolfigol, M.A., Abri, A.-R.
KBrO₃ in the presence of Fe(HSO₄)₃/wet SiO₂: Efficient oxidation of alcohols and
trimethylsilyl and tetrahydropyranyl ethers.
(2006) Letters in Organic Chemistry, 3 (4), 292-296.

70-7. Zolfigol, M.A.*, Shirini, F., Choghamarani, A.G.
Trichloroisocyanuric acid/KBr as a catalytic system for the chemoselective oxidation of
benzylic and secondary alcohols.
(2006) Synthesis, (12), 2043-2046.

71-8. Shirini, F.*, Zolfigol, M.A., Mollarazi, E.
ZrOCl₂·8H₂O as an efficient reagent for the solvent-free synthesis of 3,4-
dihydropyrimidin-2-(1*H*)-ones.
(2006) Synthetic Communications, 36 (16), 2307-2310.

72-9. Shirini, F.*, Ali Zolfigol, M., Torabi, S.
NaBrO₃/NaHSO₄ · H₂O as a versatile reagent system for the oxidation of benzylic
alcohols and aldehydes.
(2006) Synthetic Communications, 36 (19), 2833-2840.

73-10. Salehi, P., Zolfigol, M.A.*, Shirini, F., Baghbanzadeh, M.
Silica sulfuric acid and silica chloride as efficient reagents for organic reactions.
(2006) Current Organic Chemistry, 10 (17), 2171-2189 (Review Article).

74-11. Shirini, F.*, Zolfigol, M.A., Paktinat, M.
Efficient trimethylsilylation and tetrahydropyranylation of alcohols in the presence of
1,3-dibromo-5,5-dimethylhydantoin.
(2006) Synthesis, (24), pp. 4252-4256.

75-1. Shirini, F.*, Mamaghani, M., Rahmanzadeh, A.
Efficient oxidative cleavage of C=N using chromium trioxide supported on NaHSO₄
.H₂O
(2007) Arkivoc, 2007 (1), 34-39.

76-2. Shirini, F.*, Marjani, K., Nahzomi, H.T.
Silica triflate as an efficient catalyst for the solvent-free synthesis of 3,4-
dihydropyrimidin-2(1*H*)-ones.
(2007) Arkivoc, 2007 (1), 51-57.

77-3. Habibi, D.*, Zolfigol, M.A.*, Shirini, F., Safaiee, M., Abedini, M., Rahmani, P.
Oxidation of alcohols by ferric nitrate in the presence of barium chloride or silica
sulphuric acid under mild heterogeneous conditions.
(2007) South African Journal of Chemistry, 60, 17-19.

78-4. Zolfigol, M.A.*, Shirini, F., Chehardoli, G., Kolvari, E.
A catalytic and transition metal-free method for the chemoselective oxidation of alcohols
to their corresponding carbonyl compounds using periodic acid or iodic acid in the

presence of a catalytic amount of KBr.

(2007) Journal of Molecular Catalysis A: Chemical, 265 (1-2), 272-275.

79-5. Shirini, F.*, Marjani, K., Nahzomi, H.T., Zolfigol, M.A.

Silica triflate as an efficient reagent for the chemoselective formylation of alcohols.

(2007) Phosphorus, Sulfur and Silicon and the Related Elements, 182 (6), 1245-1251.

80-6. Kolvari, E., Ghorbani-Choghamarani, A., Salehi, P., Shirini, F., Zolfigol, M.A.*

Application of *N*-halo reagents in organic synthesis.

(2007) Journal of the Iranian Chemical Society, 4 (2), 126-174.

81-7. Shirini, F.*, Zolfigol, M.A., Abri, A.-R.

Regioselective tetrahydropyranylation of alcohols catalyzed by Fe(HSO₄)₃.

(2007) Chinese Chemical Letters, 18 (7), 803-806.

82-8. Shirini, F.*, Marjani, K., Nahzomi, H.T., Zolfigol, M.A.

Silica triflate as an efficient reagent for the solvent-free synthesis of coumarins

(2007) Chinese Chemical Letters, 18 (8), 909-911.

83-9. Shirini, F.*, Marjani, K., Nahzomi, H.T.

Silica triflate as a new, mild and efficient catalyst for tetrahydropyranylation of alcohols and deprotection of tetrahydropyranyl ethers.

(2007) Phosphorus, Sulfur and Silicon and the Related Elements, 182 (9), 2235-2240.

84-10. Shirini, F.*, Mollarazi, E.

Efficient trimethylsilylation of alcohols and phenols in the presence of ZrCl₄ as a reusable catalyst.

(2007) Catalysis Communications, 8 (9), 1393-1396.

85-1. Shirini, F.*, Zolfigol, M.A., Abri, A. R.

Fe(NO₃)₃·9H₂O/Fe(HSO₄)₃: An efficient reagent system for the oxidation of alcohols, thiols and sulfides in the absence of solvent.

(2008) Chinese Chemical Letters, 19 (1), 51-54.

86-2. Shirini, F.*, Marjani, K., Nahzomi, H.T., Zolfigol, M.A.

Silica triflate as a new, efficient, and reusable reagent for the chemoselective silylation of alcohols and phenols and deprotection of silyl ethers.

(2008) Phosphorus, Sulfur and Silicon and the Related Elements, 183 (1), 168-177.

87-3. Shirini, F.*, Zolfigol, M.A., Abri, A.-R.
Fe (HSO₄)₃ promoted trimethylsilylation of alcohols and phenols in solution and under solvent-free conditions.
(2008) Monatshefte für Chemie, 139 (1), 17-20.

88-4. Shirini, F.*, Zolfigol, M.A., Abri, A.-R.
Fe(NO₃)₃.9H₂O/Fe(HSO₄)₃: An efficient reagent system for the oxidative deprotection of trimethylsilyl and tetrahydropyranyl ethers in the absence of solvent.
(2008) Arkivoc, 2008 (2), 14-18.

89-5. Shirini, F., Zolfigol, M.A.*, Salehi, P., Abedini, M.
Applications of some metal hydrogen sulfates in organic transformations.
(2008) Current Organic Chemistry, 12 (3), 183-202 (Review Article).

90-6. Shirini, F.*, Zolfigol, M.A., Abri, A.-R.
Fe(HSO₄)₃ as an efficient catalyst for the preparation of 3,4-dihydropyrimidin-2(1*H*)-ones in solution and under solvent-free conditions.
(2008) Journal of the Iranian Chemical Society, 5 (1), 96-99.

91-7. Shirini, F.*, Saeidi, S.
Efficient oxidative deprotection of trimethylsilyl, tetrahydropyranyl and methoxymethyl ethers under solvent-free conditions.
(2008) Chinese Chemical Letters, 19 (6), 676-680.

92-8. Shirini, F.*, Zolfigol, M.A., Abedini, M.
KBr catalyzed oxidation of alcohols and trimethylsilyl and tetrahydropyranyl ethers with Fe(NO₃)₃. 9H₂O.
(2008) Scientia Iranica, 15 (4), 440-443.

93-9. Shirini, F.*, Yazdanbakhsh, M.R., Pop-Kiadeh, M.M., Abedini, M.
K₂S₂O₈/MoO₃: An oxidation reagent for benzylic alcohols and trimethylsilyl and tetrahydropyranyl ethers.
(2008) Journal of Chemical Research, (7), 409-411.

94-10. Shirini, F.*, Khademian, M., Abedini, M.
NaHSO₄.H₂O promoted oxidative deprotection of trimethylsilyl, tetrahydropyranyl and methoxymethyl ethers with HIO₃.

(2008) Arkivoc, 2008 (15), 71-78.

95-11. Shirini, F.*, Zolfigol, M.A., Shahriari, A.
Solvent-free oxidation of organic compounds with $\text{Fe}(\text{NO}_3)_3 \cdot 9\text{H}_2\text{O}$ catalyzed by $\text{NaHSO}_4 \cdot \text{H}_2\text{O}$.
(2008) Journal of the Iranian Chemical Society, 5 (3), 420-424.

96-12. Zolfigol, M.A.*, Chehardoli, G., Dehghanian, M., Niknam, K., Shirini, F., Khoramabadi-Zad, A.
Silica sulfuric acid and $\text{Al}(\text{HSO}_4)_3$: As efficient catalysts for the formylation of alcohols by using ethyl formate under heterogeneous conditions.
(2008) Journal of the Chinese Chemical Society, 55 (4), 885-889.

97-13. Shirini, F.*, Abedini, M.
Tetrabutylammonium bromide promoted efficient and chemoselective trimethylsilylation of primary and secondary alcohols under mild reaction conditions.
(2008) Journal of the Iranian Chemical Society, 5 (SUPPL.1), S87-S90.

98-14. Shirini, F.*, Zolfigol, M.A., Abedini, M., Sakhaei, A.R.
Vanadium hydrogen sulfate (I): Chemoselective trimethylsilylation of alcohols and deprotection of trimethylsilyl ethers.
(2008) Journal of the Chinese Chemical Society, 55 (5), 943-946.

99-1. Shirini, F.*, Zolfigol, M.A., Abedini, M.
Chemoselective trimethylsilylation of alcohols catalyzed by saccharin sulfonic acid.
(2009) Monatshefte für Chemie, 140 (1), 61-64.

100-2. Shirini, F.*, Sakhaei, A.R., Abedini, M.
 $\text{V}(\text{HSO}_4)_3$ catalyzed chemoselectivity acetylation of alcohols and phenols in solution and under solvent-free conditions.
(2009) Chinese Chemical Letters, 20 (4), 439-443.

101-3. Shirini, F.*, Neyestani, Z., Abedini, M.
 $\text{KBrO}_3/\text{MoO}_3$: An efficient reagent system for the oxidative deprotection of semicarbazones, 1,1-diacetates and acetals.
(2009) Chinese Chemical Letters, 20 (5), 514-518.

102-4. Shirini, F.*, Abedini, M., Ghasemi, M., Sakhaei, A.R.

An efficient and chemoselective method for synthesis of 1,3-oxathiolanes from aldehydes and their deprotection catalyzed by $V(HSO_4)_3$.
(2009) Bulletin of the Korean Chemical Society, 30 (10), 2479-2480.

103-5. Shirini, F.*, Zolfigol, M.A., Abedini, M.
Saccharinsulfonic acid: An efficient and recyclable catalyst for acetylation of alcohols, phenols, and amines.
(2009) Monatshefte für Chemie, 140 (12), 1495-1498.

104-6. Shirini, F.*, Sadeghzadeh, P., Abedini, M.
Silica sulfuric acid: A versatile reagent for oxathioacetalization of carbonyl compounds and deprotection of 1,3-oxathiolanes.
(2009) Chinese Chemical Letters, 20 (12), 1457-1460.

105-1. Shirini, F.*, Zolfigol, M.A., Albadi, J.
Melamine trisulfonic acid (MTSA): A new efficient catalyst for the chemoselective methoxymethylation of alcohols.
(2010) Synthetic Communications, 40 (6), 910-914.

106-2. Shirini, F.*, Zolfigol, M.A., Aliakbar, A.-R., Albadi, J.
Efficient acetylation of alcohols, phenols, and amines catalyzed by melamine trisulfonic acid (MTSA).
(2010) Synthetic Communications, 40 (7), 1022-1028.

107-3. Nikpassand, M., Mamaghani, M.*, Shirini, F., Tabatabaeian, K.
A convenient ultrasound-promoted regioselective synthesis of fused polycyclic 4-aryl-3-methyl-4,7-dihydro-1*H*-pyrazolo[3,4-*b*]pyridines.
(2010) Ultrasonics Sonochemistry, 17 (2), 301-305.

108-4. Shirini, F.*, Imanzadeh, G.H., Mousazadeh, A.R., Mohammadpoor-Baltork, I., Aliakbar, A.R., Abedini, M.
($PhCH_2PPh_3$)⁺Br₃⁻: A versatile reagent for the preparation, deprotection, and oxidation of trimethylsilyl ethers.
(2010) Phosphorus, Sulfur and Silicon and the Related Elements, 185 (3), 641-646.

109-5. Shirini, F.*, Albadi, J.
Melamine trisulfonic acid as a new, efficient and reusable catalyst for the chemoselective oxathioacetalization of aldehydes.

(2010) Bulletin of the Korean Chemical Society, 31 (5), 1119-1120.

110-6. Shirini, F.*, Yahyazadeh, A., Abedini, M., Imani Langroodi, D.
Vanadium hydrogen sulfate catalyzed solvent-free synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones and bis-(indolyl) methanes.
(2010) Bulletin of the Korean Chemical Society, 31 (6), 1715-1718.

111-7. Shirini, F.*, Imanzadeh, G.H., Mousazadeh, A.R., Aliakbar, A.R.
(PhCH₂PPh₃)⁺Br₃⁻: A versatile reagent for the chemoselective oxidation of sulfides to sulfoxides.
(2010) Phosphorus, Sulfur and Silicon and the Related Elements, 185 (8), 1640-1644.

112-8. Shirini, F.*, Mamaghani, M., Mostashari-Rad, T., Abedini, M.
Saccharin sulfonic acid as an efficient catalyst for the preparation and deprotection of 1,1-diacetates.
(2010) Bulletin of the Korean Chemical Society, 31 (8), 2399-2401.

113-9. Shirini, F.*, Zolfigol, M.A., Abedini, M.
Saccharin sulfonic acid catalyzed N-Boc protection of amines and formation of tertbutyl ethers from alcohols.
(2010) Journal of the Iranian Chemical Society, 7 (3), 603-607.

114-10. Shirini, F.*, Imanzadeh, G.H., Mousazadeh, S.A.R., Mohammadpoor-Baltork, I., Abedin, M.
A mild and efficient method for the methoxymethylation and acetylation of alcohols promoted by benzyltriphenylphosphonium tribromide.
(2010) Chinese Chemical Letters, 21 (10), 1187-1190.

115-11. Shirini, F.*, Langroodi, M.S., Abedini, M.
Efficient synthesis of bis (indolyl) methanes catalyzed by (PhCH₂PPh₃)⁺Br₃⁻ under solvent-free conditions.
(2010) Chinese Chemical Letters, 21 (11), 1342-1345.

116-12. Shirini, F.*, Zolfigol, M.A., Albadi, J.
Melamine trisulfonic acid as a new, efficient and reusable catalyst for the Solvent free synthesis of coumarins.
(2010) Journal of the Iranian Chemical Society, 7 (4), 895-899.

117-1. Shirini, F.*, Abedini, M., Pourvali, A.
V(HSO₄)₃ promoted oxidation of alcohols and trimethylsilyl, tetrahydropyranyl and methoxymethyl ethers with Cu(NO₃)₂·3H₂O in the absence of solvent.
(2011) Chinese Chemical Letters, 22 (1), 33-36.

118-2. Shirini, F.*, Zolfigol, M.A., Albadi, J.
Melamine trisulfonic acid: A new, efficient and recyclable catalyst for the synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones/thiones in the absence of solvent.
(2011) Chinese Chemical Letters, 22 (3), 318-321.

119-3. Shirini, F.*, Mirhashemi, S.K., Pourvali, A., Abedini, M.
Efficient regeneration of aldehydes from their corresponding 1,3-oxathiolanes in the absence of solvent.
(2011) Chinese Chemical Letters, 22 (4), 421-423.

120-4. Shirini, F.*, Mamaghani, M., Atghia, S.V.
Sulfonic acid-functionalized ordered nanoporous Na⁺- montmorillonite (SANM): A novel, efficient and recyclable catalyst for the chemoselective *N*-Boc protection of amines in solventless media.
(2011) Catalysis Communications, 12 (12), 1088-1094.

121-5. Khaligh, N.G., Shirini, F.*
Preparation, characterization and use of poly(4-vinylpyridinium) hydrogen sulfate salt as an eco-benign, efficient and reusable solid acid catalyst for the chemoselective 1,1-diacetate protection and deprotection of aldehydes.
(2011) Journal of Molecular Catalysis A: Chemical, 348 (1-2), 20-29.

122-6. Shirini, F.*, Khoshdel, M.A., Abedini, M., Atghia, S.V.
Nanocrystalline TiO₂ as an efficient and reusable catalyst for the chemoselective trimethylsilylation of primary and secondary alcohols and phenols.
(2011) Chinese Chemical Letters, 22 (10), 1211-1214.

123-7. Shirini, F.*, Ghaffari Khaligh, N.
Succinimide-*N*-sulfonic acid: A mild, efficient, and reusable catalyst for the chemoselective trimethylsilylation of alcohols and phenols.
(2011) Phosphorus, Sulfur and Silicon and the Related Elements, 186 (11), 2156-2165.

124-8. Mamaghani, M.*, Joshari, M.S., Tabatabaiean, K., Shirini, F., Khavasi, H.R.

Crystal structure of (2Z,5Z)-3-allyl-5-(4-(methylthio)benzylidene)-2-(p-tolylimino)thiazolidin-4-one, $C_{21}H_{20}N_2OS_2$.
(2011) Zeitschrift für Kristallographie - New Crystal Structures, 226 (4), 618-620.

125-1. Jourshari, M.S., Mamaghani, M.*, Tabatabaeian, K., Shirini, F.
A convenient synthesis of novel 5-arylidene-2-imino-4-thiazolidinones using base supported ionic liquid-like phase (SILLP) as efficient green catalyst.
(2012) Journal of the Iranian Chemical Society, 9 (1), 75-80.

126-2. Shirini, F.*, Atghia, S.V., Jirdehi, M.G.
Nanocrystalline TiO_2-HClO_4 as a new, efficient and recyclable catalyst for the chemoselective trimethylsilylation of alcohols, phenols and deprotection of silyl ethers.
(2012) Catalysis Communications, 18, 5-10.

127-3. Shirini, F.*, Mashhadi-Nejad, M.
 $Cu(NO_3)_2 \cdot 3 H_2O$ as an efficient reagent for the chemoselective trimethylsilylation of primary alcohols and oxidation of trimethylsilyl ethers.
(2012) Phosphorus, Sulfur and Silicon and the Related Elements, 187 (3), 376-381.

128-4. Roshan, A.A., Mamaghani, M.*, Mahmoodi, N.O., Shirini, F.
An efficient regioselective sonochemical synthesis of novel 4-aryl-3-methyl-4,5-dihydro-1H-pyrazolo[3,4-b]pyridin-6(7H)-ones.
(2012) Chinese Chemical Letters, 23 (4), 399-402.

129-5. Shirini, F.*, Khaligh, N.G.
Succinimide sulfonic acid (SuSA): An efficient and recyclable catalyst for the chemoselective *N*-Boc protection of amines.
(2012) Monatshefte für Chemie, 143 (4), 631-635.

130-6. Shirini, F.*, Jolodar, O.G.
Introduction of *N*-sulfonic acid poly(4-vinylpyridinium) chloride as an efficient and reusable catalyst for the chemoselective 1,1-diacetate protection and deprotection of aldehydes.
(2012) Journal of Molecular Catalysis A: Chemical, 356, 61-69.

131-7. Shirini, F.*, Mamaghani, M., Atghia, S.V.
A mild and efficient method for the chemoselective trimethylsilylation of alcohols and phenols and deprotection of silyl ethers using sulfonic acid-functionalized ordered nanoporous Na^+ -montmorillonite.

(2012) Applied Clay Science, 58, 67-72.

132-8. Dashti, M., Mokhtari, J.*, Nouri, M., Shirini, F.
Imparting conductivity and chromic behavior on polyester fibers by means of poly(3-methylthiophene) nanocoating.
(2012) Journal of Applied Polymer Science, 124 (4), 3007-3012.

133-9. Shirini, F.*, Akbari-Dadamahaleh, S., Mohammad-Khah, A.
Rice husk supported FeCl₃ nanoparticles as an efficient and reusable catalyst for the chemoselective 1,1-diacetate protection and deprotection of aldehydes.
(2012) Journal of Molecular Catalysis A: Chemical, 363-364, 10-17.

134-10. Albadi, J.*, Keshavarz, M.*, Shirini, F., Vafaie-nezhad, M.
Copper iodide nanoparticles on poly(4-vinyl pyridine): A new and efficient catalyst for multicomponent click synthesis of 1,4-disubstituted-1,2,3-triazoles in water.
(2012) Catalysis Communications, 27 (10), 17-20.

135-11. Shirini, F.*, Khaligh, N.G.
Succinimide-*N*-sulfonic acid: An efficient catalyst for the synthesis of xanthene derivatives under solvent-free conditions.
(2012) Dyes and Pigments, 95 (3), 789-794.

136-12. Hosseinnia, F., Mamaghani, M.*, Tabatabaeian, K., Shirini, F., Rassa, M.
An expeditious regioselective synthesis of novel bioactive indole-substituted chromene derivatives *via* one-pot three-component reaction.
(2012) Bioorganic & Medicinal Chemistry Letters, 22 (18), 5956-5960.

137-13. Shirini, F.*, Ghaffari Khaligh, N., Akbari-Dadamahaleh, S.
Preparation, characterization and use of 1,3-disulfonic acid imidazolium hydrogen sulfate as an efficient, halogen-free and reusable ionic liquid catalyst for the trimethylsilyl protection of hydroxyl groups and deprotection of the obtained trimethylsilanes.
(2012) Journal of Molecular Catalysis A: Chemical, 365, 15-23.

138-14. Shirini, F.*, Ghaffari Khaligh, N., Imanzadeh, G. H., Ghods Ghasemabadi, P.
1,3-Dibromo-5,5-dimethylhydantoin (DBH)/ Kaolin: An efficient reagent system for the synthesis of 14-aryl-14*H*-dibenzo[*a,j*]xanthenes under solvent-free conditions.
(2012) Chinese Chem. Lett., 23 (10), 1145-1148.

139-15. Shirini, F.*, Ghaffari Khaligh, N.

Poly(4-vinylpyridine) catalyzed chemoselective O-TMS protection of alcohols and phenols and *N*-Boc protection of amines.
(2012) J. Iranian Chem. Soc., 9, pp. 495-502.

140-16. Jourshari, M. S., Mamaghani, M.*, Tabatabaeian, K., Shirini, F., Rassa, M., Langari, H.
An efficient ultrasound promoted one-pot three-component synthesis and antibacterial activities of novel pyrimido[4,5-*b*]quinoline-4,6(3*H*,5*H*,7*H*,10*H*)-dione derivatives.
(2012) Lett. Org. Chem., 9, 666-670.

141-17. Jalal Albadi*, Nasir Irvani, Farhad Shirini, Farzaneh Dehghan
A green recyclable poly(4-vinylpyridine)-supported copper iodide nanoparticle catalyst for the chemoselective synthesis of pentaerythritol diacetals from aromatic aldehydes.
(2012) J. Chem. Res. 610-611.

142-1. Shirini, F.*, Ghaffari Khaligh, N., Goli Jolodar, O.
N-sulfonic acid poly(4-vinylpyridinium) chloride: an efficient and reusable solid acid catalyst in *N*-Boc protection of amines.
(2013) J. Iranian Chem. Soc., 10, 181-188.

143-2. Ghaffari Khaligh, N., Shirini, F.*
Introduction of poly(4-vinylpyridinium) perchlorate as a new, efficient, and versatile solid acid catalyst for one-pot synthesis of substituted coumarins under ultrasonic irradiation.
(2013) Ultrasonic SonoChemistry, 20, 26-31.

144-3. Ghaffari Khaligh, N., Shirini, F.*
Ultrasound assisted the chemoselective 1,1-diacetate protection and deprotection of aldehydes catalyzed by poly(4-vinylpyridinium)hydrogen sulfate salt as a eco-benign, efficient and reusable solid acid catalyst.
(2013) Ultrasonic SonoChemistry, 20, 19-25.

145-4. Shirini, F.*, Mamaghani, M., Atghia, S. V.
Use of nanoporous Na⁺-montmorillonite sulfonic acid (SANM) as an eco-benign, efficient and reusable solid acid catalyst for the one-pot synthesis of 14-aryl-14-*H*-dibenzo[*a,j*]xanthenes and 1,8-dioxo-dodecahydroxanthene derivatives.
(2013) J. Iran. Chem. Soc., 10, 415-420.

146-5. Shirini, F.*, Ghaffari Khaligh, N.
1,3-Disulfonic acid imidazolium hydrogen sulfate as an efficient and reusable ionic liquid for the *N*-Boc protection of amines.
(2013) J. Molecular Liquids, 177, 386-393.

147-6. Shirini, F.*, Sarvi Beigbaghlou, S., Atghia, S. V., Mousazadeh, S. A. R.
Multi-component one-pot synthesis of unsymmetrical dihydro-5*H*-indeno[1,2-*b*]quinolines as new pH indicators.
(2013) Dyes and Pigments, 97, 19-25.

148-7. Shirini, F.*, Akbari-Dadamahaleh, S., Mohammad-Khah, A., Aliakbar, A. R.
Rice husk: A mild, efficient, green and recyclable catalyst for the synthesis of 12-aryl-8, 9, 10, 12-tetrahydro [a] xanthene-11-ones and quinoxaline derivatives.
(2013) Comptes Rendus Chimie, 16, 207-261.

149-8. Shirini, F.*, Athigha, S. V., Ghazi Jirdehi, M.
Nanocrystalline TiO₂-HClO₄: A novel, efficient and recyclable catalyst for the chemoselective *N*-Boc protection of amines under solvent-free conditions.
(2013) Chinese Chem. Lett., 24, 34-36.

150-9. Shirini, F.*, Abedini, M.
Application of nano catalysts in multi-component reactions.
(2013) J. Nanoscience and Nanotechnology, 13, 4838-4860 (Review article).

151-10. Shirini, F.*, Somayeh Akbari-Dadamahaleh, S., Mohammad-Khah, A.
Rice husk supported FeCl₃ nano-particles: Introduction of a mild, efficient and reusable catalyst for some of the multi-component reactions.
(2013) Comptes Rendus Chimie, 16, 945-955.

152-11. Shirini, F.*, Mamaghani, M., Seddighi, M.
Sulfonated rice husk ash (RHA-SO₃H): A highly powerful and efficient solid acid catalyst for the chemoselective preparation and deprotection of 1,1-diacetates.
(2013) Catal. Commun., 36, 31-37.

153-12. Shirini, F.*, Ghaffari Khaligh, N., Goli Jolodar, O.
An efficient and practical synthesis of bis(indolyl)methanes catalyzed by *N*-sulfonic acid poly(4-vinylpyridinium) chloride.
(2013) Dyes and Pigments, 98, 290-296.

154-13. Shirini, F.*, Ghaffari Khaligh, N.

Succinimide-*N*-sulfonic acid: A mild, efficient and reusable catalyst for the acetylation reactions in the absence of solvent.
(2013) Chinese J. Catal., 34, 695-703.

155-14. Shirini, F.*, Abedini, M., Pourhasan, R.
N-Sulfonic acid poly(4-vinylpyridinium) chloride: A novel polymeric and reusable catalyst for the preparation of xanthenes derivatives.
(2013) Dyes and Pigments, 99, 250-255.

156-15. Jourshari, M. S., Mamaghani, M.*, Shirini, F., Tabatabaiean, K., Rassa, M., Langari, H.
An expedient one-pot synthesis of highly substituted imidazoles using supported ionic liquid-like phase (SILLP) as a green and efficient catalyst and evaluation of their anti-microbial activity.
(2013) Chinese Chem. Lett., 24, 993-996.

157-16. Mamaghani, M.*, Shirini, F., Mahmoodi, N. O., Azimi-Roshan, A., Hashemlou, H.
A green, efficient and recyclable Fe³⁺@K10 catalyst for the synthesis of bioactive pyrazolo [3,4-*b*]pyridine-6(7*H*)-ones under “on water” conditions.
(2013) J. Mol. Structure, 1051, 169-176.

158-17. Shirini, F.*, Ghaffari Khaligh, N.
Succinimide-*N*-sulfonic acid: An efficient catalyst for the synthesis of bis(indolyl)methane and coumarin derivatives under mild conditions.
(2013) Chinese J. Catal., 34, 1890-1896.

159-18. Shirini, F.*, Akbari-Dadamahaleh, S., Mohammad-Khah, A.
Rice husk ash supported FeCl₂.2H₂O: A mild and highly efficient heterogeneous catalyst for the synthesis of poly-substituted quinolines *via* Friedländer hetero-annulation.
(2013) Chinese J. Catal. 34, 2200-2208.

160-19. Seddighi, M., Shirini, F.*, Mamaghani, M.
Sulfonated rice husk ash (RHA-SO₃H) as a highly efficient and reusable catalyst for the synthesis of some of bis-heterocyclic compounds.
(2013) Royal Soc. Adv., 46, 24046 - 24053.

161-20. Jalal Albadi*, Farhad Shirini, Jafar Abasi, Nezam Armand, Tayebbeh Motaharizadeh
A green, efficient and recyclable poly(4-vinylpyridine)-supported copper iodide catalyst for the synthesis of coumarin derivatives under solvent-free conditions.
(2013) Comp. Rend. Chimie, 16, 407-411.

162-1. Shirini, F.*, Abedini, M., Pourhasan-Kisomi, R.
N-Sulfonic acid poly(4-vinylpyridinium) chloride as a highly efficient and reusable catalyst for the Biginelli reaction.
(2014) Chinese Chem. Lett. , 25, 111-114.

163-2. Shirini, F.*, Yahyazadeh, A., Mohammadi, K.
One-pot synthesis of various xanthene derivatives using 1,3-Disulfonic acid imidazolium hydrogen sulfate as an efficient and reusable ionic liquid catalyst under solvent-free conditions.
(2014) Chinese Chem. Lett, 25, 341-347.

164-3. Tabatabaeian, K.*, Fallah Shojaei, A., Shirini, F., Hejazi , S. Z., Rassa, M.
A green multi-component synthesis of bioactive pyrimido[4,5-b]quinoline derivatives as anti bacterial agents in water catalyzed by $\text{RuCl}_3 \cdot x\text{H}_2\text{O}$.
(2014) Chinese Chem. Lett, 25, 308-312.

165-4. Shirini, F.*, Somayeh Akbari-Dadamahaleh, S., Mohammad-Khah, A., Aliakabr, A. R.
Rice husk: Introduction of a green, cheap and reusable catalyst for the protection of alcohols, phenols, amines and thiols.
(2014) Comptes Rendus Chimie, 17, 167-170.

166-5. Shirini, F.*, Yahyazadeh, A., Mohammadi, K.
Solvent-free synthesis of quinoline derivatives *via* the Friedländer reaction using 1, 3-disulfonic acid imidazolium hydrogen sulfate as an efficient and recyclable ionic liquid catalyst.
(2014) Comptes Rendus Chemie, 17, 370-376.

167-6. Shirini, F.*, Abedini, M., Akbari-Dadamahaleh, S., Rahmaninia, A.
Iranian chemist's efforts to provide various effective methods for the synthesis of xanthenes.
(2014) J. Iran. Chem. Soc, 11, 791-824 (Review article).

168-7. Shirini, F.*, Akbari-Dadamahaleh, S., Mohammad-Khah, A.
Rice husk ash: A new, efficient and reusable silica based catalyst for trimethylsilyl and acetyl protection reactions.
(2014) Phosphorous, Sulfur, Silicon and the Related Elements, 189, 577-586.

169-8. Shirini, F.*, Esmaeeli-Ranjbar, S., Seddighi, M.
Poly(4-vinylpyridinium) perchlorate as an efficient and recyclable catalyst for the synthesis of biscoumarins and bisindoles.

(2014) Chinese J. Catal., 35, 1017-1023.

170-9. Shirini, F.*, Abedini, M., Abroon Kiaroudi, S.

Introduction of titania sulfonic acid [TiO₂-SO₃H] as a new, efficient and reusable heterogeneous solid acid catalyst for the synthesis of biscoumarins.

(2014) Phosphorour, Sulfur, Silicon and the Related Elements, 189, 1279-1288.

171-10. Shirini, F.*, Akbari-Dadamahaleh, S., Rahimi-Mohseni, M., Goli-Jelodar, O.

Introduction of a novel Brønsted acidic ionic liquid for the promotion of the synthesis of quinolones.

(2014) J. Mol. Liq., 198, 139-148.

172-11. Shirini, F.*, Najafi Moghadam, P., Moayedi, S., Seddighi, M.

Introduction of *O*-sulfonated poly(4-vinylpyrrolidonium) chloride as a polymeric and reusable catalyst for the synthesis of xanthene derivatives.

(2014) RSC Adv., 4, 38581-38588.

173-12. Shirini, F.*, Seddighi, M., Mamaghani, M.

Brønsted acidic ionic liquid supported on rice husk ash (RHA-[pmim]HSO₄): A highly efficient and reusable catalyst for the formylation of amines and alcohols.

(2014) Royal Soc. Adv. 4, 50631-50638.

174-13. Shirini, F.*, Abedini, M., Seddighi, M., Goli Jolodar, O., Safarpour Nikoo

Langroodi, M., Zamani, S.

Introduction of a new bi-SO₃H ionic liquid based on 2, 2'-bipyridine as a novel catalyst for the synthesis of various xanthene derivatives.

(2014) Royal Soc. Adv., 4, 63526-63532.

175-14. Fallah-Shojaei, A.*, Tabatabaieian, Kh., Shirini, F., Zoha Hejazi, S.

Multi-walled carbon nanotubes supported Fe₃O₄NPs: an efficient and reusable catalyst for the one-pot synthesis of 4*H*-pyran derivatives.

(2014) Royal Soc. Adv., 4, 9509-9516.

176-15. Mohsenimehr, M., Mamaghani, M.*, Shirini, F., Sheykhan, M.,

Azimian Moghaddam, F.

One-pot synthesis of novel pyrido[2,3-*d*]pyrimidines using HAp-encapsulated- g-Fe₂O₃ supported sulfonic acid nanocatalyst under solvent-free conditions.

(2014) Chinese Chem. Lett., 25, 1387-1391.

177-1. Seddighi, M., Shirini, F.*, Mamaghani, M.

An efficient method for the synthesis of formamidine and formamide derivatives promoted by sulfonated rice husk ash (RHA-SO₃H).
(2015) J. Iran. Chem. Soc., 12, 433-439.

178-2. Shirini, F.*, Goli Jolodar, O., Seddighi, M., Hojatollah Takbiri Borujeni
Preparation, characterization and application of succinimidinium hydrogensulfate ([H-Suc] HSO₄) as an efficient ionic liquid catalyst for the *N*-Boc protection of amines.
(2015) RSC Adv. 5, 19790-19798.

179-3. Abbasi Shiran, J., Yahyazadeh, A.*, Mamaghani, M., Yamin, B. M., Shirini, F.
One-pot, three component synthesis of thiazol-2(3*H*) imines using poly 94-vinylpyridine) as an efficient reusable heterogeneous basic catalyst.
(2015) Heterocycles, 91, 113-122.

180-4. Mohammadi, K., Shirini, F.*, Yahyazadeh, A.
1, 3-Disulfonic acid imidazolium hydrogen sulfate: A reusable and efficient ionic liquid for the one-pot multi-component synthesis of pyrimido[4,5-*b*]-quinoline derivatives.
(2015) RSC Adv., 5, 23586-23590.

181-5. Seddighi, M., Shirini, F.*, Mamaghani, M.
Brønsted acidic ionic liquid supported on rice husk ash (RHA-[pmim]HSO₄): A highly efficient and reusable catalyst for the synthesis of 1-(benzothiazolylamino)phenylmethyl-2-naphthols.
(2015) Comptes Rendus Chimie, 18, 573-580.

182-6. Shirini, F.*, Seddighi, M., Mazloumi, M., Makhsous, M., Abedini, M.
One-pot synthesis of 4,4'-(arylmethylene)-bis-(3-methyl-1-phenyl-1*H*-pyrazol-5-ols) catalyzed by Brønsted acidic ionic liquid supported on nanoporous Na⁺-montmorillonite.
(2015) J. Mol. Liq., 208, 291-297.

183-7. Shirini, F.*, Mamaghani, M., Seddighi, M.
Introduction of facile synthesis of benzimidazole, benzoxazole and benzothiazole derivatives catalyzed by sulfonated rice husk ash (RHA-SO₃H) as an efficient solid acid catalyst.
(2015) Research Chem. Inter., 41, 5611-5619.

184-8. Shirini, F.*, Yahyazadeh, A., Mohammadi, K.
A solvent-free synthesis of coumarins using 1, 3-disulfonic acid imidazolium hydrogen sulphate as a reusable and effective ionic liquid catalyst.

(2015) Research Chem. Inter., 41, 6207-6218.

185-9. Shirini, F.*, Safarpour Nikoo Langarudi, M., Goli-Jolodar, O.
Synthesis of 2*H*-indazolo[2,1-*b*]phthalazine-1,6,11(13*H*)-triones using
1,4-disulfo-1,4-diazabicyclo[2.2.2]octane-1,4-diium dihydrogen sulfate
{DABCO(HSO₃)₂(HSO₄)₂} as a new ionic liquid catalyst.
(2015) Dyes and Pigments, 123, 186-195.

186-10. F. Shirini*, M. Abedini, A. Shahriari
N-Sulfonic acids: New, efficient and reusable catalysts for the acceleration of organic
reactions (Review article).
(2015) Current Org. Chem., 19, 2011-2039.

187-11. Shirini, F.*, Abedini, M., Seddighi, M. Shaabani Arbosara, F.
Preparation, characterization and application of 1,1'-disulfo-[2,2'-bipyridine]-1,1'-diium
chloride ionic liquid as an efficient catalyst for the synthesis of benzimidazole
derivatives.
(2015) Research Chem. Inter., 41, 7683–7693.

188-12. Shirini, F.*, Abedini, M., Zarrabzadeh, S., Seddighi, M.
Efficient synthesis of 4*H*-pyran derivatives using a polymeric catalyst based on PVP
(2015) J. Iranian Chem. Soc., 12, 2105-2113.

189-13. Shirini, F.*, Safarpour Nikoo Langarudi, M., Seddighi, M., Goli-Jolodar, O.
Bi-SO₃H functionalized ionic liquid based on DABCO as a mild and efficient catalyst for
the synthesis of 1, 8-dioxo-octahydro-xanthene and 5-arylmethylene-pyrimidine-2,4,6-
trione derivatives.
(2015) Research Chem. Inter., 41, 8493-8497.

190-14. Shirini, F.*, Seddighi, M., Mamaghani, M.
Sulfonated rice husk ash (RHA-SO₃H) as an efficient and recyclable catalyst for the
Friedlander synthesis of quinolones.
(2015) Research Chem. Inter., 41, 8673–8680.

191-15. Abedini, M., Shirini, F.*, Mohammad-Alinejad Omran, J.
Efficient synthesis of 2*H*-indazolo[2,1-*b*]phthalazine-trione derivatives using
succinimidinium *N*-sulfonic acid hydrogen sulfate as a new ionic liquid catalyst.
(2015) J. Mol. Liq., 212, 405-412.

192-16. Shirini, F.*, Abedini, M., Mahmoodi, N., Biglari, M., Safarpour Nikoo Langrudi, M.

Introduction of a new ionic liquid catalyst for the trimethylsilyl and tetrahydropyranyl protection of alcohols.

(2015) Phosphorous, Sulfur, Silicon and the Related Elements, 190, 1912-1921.

193-17. Abbasi Shiran, J., Yahyazadeh, A.*, Mamaghani, M., Yamin, B. M., Albadi, J., Shirini, F., Rassa, M.

Novel, one-pot, three component, regioselective synthesis of fluorinecontaining thiazole and bis-3*H*-thiazole derivatives using polyvinyl pyridine as a heterogeneous catalyst, and evaluation of their antibacterial activity.

(2015) Synth. Commun. 45, 1520-1532.

194-18. M. Mamaghani*, F. Shirini, M. Sheykhan, M. Mohsenimehr

Synthesis of a copper (II) complex covalently anchoring a (2-iminomethyl) phenol moiety supported on HAp-encapsulated- α -Fe₂O₃ as an inorganic-organic hybrid magnetic nanocatalyst for the synthesis of primary and secondary amides.

(2015) RSC Adv., 5, 44524-44529.

195-1. Goli-Jolodar, O., Shirini, F.*, Seddighi, M.

Succinimidinium hydrogensulfate ([H-Suc] HSO₄) as an efficient ionic liquid catalyst for the synthesis of 5-arylidene-pyrimidine-2, 4, 6(1*H*,3*H*,5*H*)-trione and pyrano-pyrimidinones derivatives.

(2016) J. Iran. Chem. Soc., 13, 457-463.

196-2. Seddighi, M., Shirini, F.*, Goli-Jolodar, O.

Preparation and characterization of RHA/TiO₂ nanocomposite: Introduction of an efficient and reusable catalyst for the chemoselective trimethylsilyl protection and deprotection of alcohols and phenols.

(2016) RSC Advances, 6, 23564-23570.

197-3. Goli-Jolodar, O., Shirini, F.*, Seddighi, M.

Introduction of a novel nano sized *N*-Sulfonated Brönsted acidic catalyst for the promotion of the synthesis of polyhydroquinoline derivatives *via* Hantzsch condensation under solvent-free conditions.

(2016) RSC Advances, 6, 26026-26037.

198-4. Mohammadi, K., Shirini, F.*, Yahyazadeh, A.

1, 3-Disulfonic acid imidazolium hydrogen sulphate as an efficient and reusable ionic liquid for the multicomponent synthesis of polyhydroquinoline derivatives under solvent-free conditions.

(2016) Research Chem. Inter., 42, 2047–2054.

199-5. Shirini, F.*, Mazloumi, M., Seddighi, M.

Acidic ionic liquid immobilized on nanoporous Na⁺-montmorillonite as an efficient and reusable catalyst for the formylation of amines and alcohols.

(2016) Research Chem. Inter., 42, 1759–1776.

200-6. Shamsi-Sani, M., Shirini, F.*, Abedini, M., Seddighi, M.

Synthesis of benzimidazole and quinoxaline derivatives using reusable sulfonated rice husk ash (RHA-SO₃H) as a green efficient solid acid catalyst.

(2016) Research Chem. Inter., 42, 1091–1099.

201-7. Shirini, F.*, Goli-Jolodar, O., Akbari, M., Seddighi, M.

Preparation, characterization and use of poly (vinylpyrrolidonium) hydrogen phosphate [(PVP-H) H₂PO₄] as a new heterogeneous catalyst for the efficient synthesis of 2-amino-tetrahydro-4.-pyrans

(2016) Res. Chem. Int., 42, 4733–4749.

202-8. Abedini, M., Shirini, F.*, Mohammad-Alinejad Omran, J., Seddighi, M., Goli-Jolodar, O.

Succinimidinium *N*-sulfonic acid hydrogen sulfate as an efficient ionic liquid catalyst for the synthesis of 5-arylmethylene-pyrimidine-2, 4, 6-trione and pyrano[2,3-d]pyrimidinone derivatives.

(2016) Res. Chem. Int., 42:4443–4458.

203-9. Abedini, M., Shirini, F.*, Mousapour, M.

Poly (vinylpyrrolidinium) perchlorate as a new and efficient catalyst for the promotion of the synthesis of polyhydroquinoline derivatives *via* Hantzsch condensation.

(2016) Research Chem. Inter., 42:2303–2315.

204-10. Goli-Jolodar, O., Shirini, F.*

Succinimidinium hydrogensulfate ([H-Suc] HSO₄) as a new, green and efficient ionic liquid catalyst for the synthesis of tetrahydrobenzimidazo[2,1-b]quinazolin-1(2*H*)-one, 1-(benzothiazolylamino)phenylmethyl-2-naphthol, 1, 8-dioxo-octahydroxanthene and bis(indolyl) methane derivatives.

(2016) J. Iran. Chem. Soc., 16, 1077-1092.

205-11. Goli-Jolodar, O., Shirini, F.*, Seddighi, M.
Introduction of O-sulfonated poly (vinylpyrrolidonium) hydrogen sulfate as an efficient, and reusable solid acid catalyst for some of the solvent-free multicomponent reactions.
(2016) RSC Adv., 6, 44749-44806.

206-12. Seyyedi, N., Shirini, F.*, Safarpour Nikoo Langarudi, M.
DABCO-Based ionic liquids: green and recyclable catalysts for the synthesis of barbituric and thiobarbituric acid derivatives in aqueous media.
(2016) RSC Adv., 6, 44630-44640.

207-13. Shirini, F.*, Fallah-Shojaei, A., Samavi, L., Abedini, M.
A clean synthesis of bis (indolyl) methane and biscoumarin derivatives using P4VPy-CuO nanoparticles as a new, efficient and heterogeneous polymeric catalyst.
(2016) RSC Adv., 6, 48469-48478.

208-14. Shirini, F.*, Fallah Shojaei, A., Dalil Heirati, S. Z.
Introduction of PEG-SANM Nanocomposite as a new and highly efficient reagent for the promotion of the silylation of alcohols and phenols and deprotection of the silyl ethers.
(2016) Phosphorous, Sulfur, Silicon and the Related Elements, 191, 944-951.

209-15. Goli-Jolodar, O., Shirini, F.*, Seddighi, M.
An efficient and practical synthesis of specially 2-amino-4*H*-pyrans catalyzed by C₄(DABCO-SO₃H)₂.4Cl.
(2016) Dyes & Pigments, 133, 292-303

210-16. Shirini, F.*, Abedini, M., Seddighi, M.
TiO₂ and its derivatives as efficient catalysts for organic reactions.
(2016) J. Nanosci. Nanotechnol. 16, 8208-8227 (Review article).

211-17. Dalil Heirati, S. Z., Shirini, F.*, Fallah Shojaei, A.
PEG-SANM Nanocomposite: A new catalytic application towards clean and highly efficient Biginelli-like reaction under solvent-free conditions.
(2016) RSC Adv., 6, 67072-67085.

212-18. Samavi, L., Shirini, F.*, Fallah-Shojaei, A.; Abedini, M.
P4VPy-CuO nanoparticles as a novel and reusable catalyst: Application at the protection of alcohols, phenols and amines.
(2016) J. Iranian Chem. Soc., 13, 1699-1712.

213-19. Seddighi, M., Shirini, F.*, Goli-Jolodar, O.
Preparation, characterization and application of RHA/TiO₂ nanocomposite in the
acetylation of alcohols, phenols and amines.
(2016) C. R. Chimie, 19, 1003-1010.

214-20. Seddighi, M., Shirini, F.*, Goli-Jolodar, O.
Facile and efficient synthesis of pyrimido [1,2-a]benzimidazole and
tetrahydrobenzimidazo[2,1-b]quinazolin-1(2H)-one derivatives using Brønsted acidic
ionic liquid supported on rice husk ash (RHA-[pmim]HSO₄).
(2016) J. Iranian Chem. Soc., 13, 2013-2018.

215-21. Goli-Jolodar, O, Shirini, F.*, Seddighi, M.
Introduction of a novel basic ionic liquid containing dual basic functional groups for the
efficient synthesis of spiro-4*H*-pyrans.
(2016) J. Mol. Liq., 224, 1092-1101.

216-22. Shirini, F.*, Daneshvar, N.
Introduction of Taurine (2-aminoethanesulfonic acid) as a green bio-organic catalyst for
the promotion of some of the organic reactions under green conditions.
(2016) RSC Adv., 6, 110190–110205.

217-23. Hamed Nazarpour-Fard, Kurosh Rad-Moghadam, Farhad Shirini*,
Mohammad Hosain Beheshty
Novel improvements in thermal and hydrophobic properties of chitosan reinforced by
rice husk ash.
(2016) Polymers from Renewable Resources, 7 (4), 115-134.

218-24. Abedini, M., Shirini, F.*, Mousapour, M., Goli-Jolodar, O.
Poly (vinylpyrrolidonium) perchlorate catalyzed one-pot synthesis of tricyclic
dihydropyrimidine derivatives.
(2016) Research Chem. Inter., 42, 6221-6229.

219-1. Shirini, F.*, Pourghasemi Lati, M.
BiVO₄-NPs: an efficient nano-catalyst for the synthesis of biscoumarins, bis (indolyl)
methanes and 3,4-dihydropyrimidin-2(1*H*)-ones (thiones) derivatives
(2017) J. Iran. Chem. Soc., 14, 75-87.

220-2. Farhad Shirini*, Mohaddeseh Safarpour Nikoo Langarudi, Nader Daneshvar
Preparation of a new DABCO-based ionic liquid [H₂-DABCO] [H₂PO₄]₂ and its
application in the synthesis of tetrahydrobenzo[b]pyran and
pyrano [2,3-d]pyrimidinone derivatives.
(2017) J. Mol. Liq., 234, 268-278.

221-3. Farhad Shirini*, Masoumeh Makhsous, Mohadeseh Seddighi
Introduction of Brönsted acidic ionic liquid supported on nanoporous
Na⁺-montmorillonite as an efficient catalyst for the synthesis of
2-amino-tetrahydro-4*H*-pyrans.
(2017) Iran. J. Catal., 7(1), 21-26.

222-4. Goli-Jolodar, O, Shirini, F.*
Catalysis of Indazolophthalazinetrienes by ionic liquid –succinimidinium hydrogen
sulfate.
(2017) Theoretical and Experimental Chemistry, 52, 349-357.

223-5. Omid Goli-Jolodar, Farhad Shirini*
Facile and simple synthesis of pyrimido[4,5-d]pyrimidinones and pyrano[2,3-
d]pyrimidinones catalyzed by nano-sized NS-C₄(DABCO-SO₃H)₂•4Cl.
(2017) J. Iran. Chem. Soc., 14, 1235-1241.

224-6. Omid Goli Jolodar, Farhad Shirini*, Mohadeseh Seddighi
Efficient synthesis of pyrano [2,3-d]pyrimidinone and pyrido[2,3-d]pyrimidine
derivatives in the presence of a novel basic ionic liquid catalyst.
(2017) Chinese J. Catal., 38, 1245-1251.

225-7. Narges Seyyedi, Farhad Shirini *, Mohaddeseh safarpour Nikoo Langarudi,
Setareh Jashnani
A simple and convenient synthesis of [1, 2, 4]triazolo/benzimidazolo quinazolinone and
[1,2,4]triazolo[1,5-a]pyrimidine derivatives catalyzed by DABCO-based ionic liquids.
(2017) J. Iran. Chem. Soc., 4, 1859-1867.

226-8. Farhad Shirini 8, Mohaddeseh Safarpour Nikoo Langarudi, Nader Daneshvar,
Maryam Mashhadinezhad, Nazanin Nabinia
Preparation of a new DABCO-based ionic liquid and investigation on its application in
the synthesis of benzimidazoquinazolinone and pyrimido [4, 5-b]-quinoline derivatives
(2017) J. Mol. Liq., 243, 302-312.

227-9. Fatemeh Kamali, Farhad Shirini*

Fe₃O₄@SiO₂-ZrCl₂-MNPs: A novel magnetic catalyst for the clean and efficient cascade synthesis of 1-(benzothiazolylamino) methyl-2-naphthol derivatives in the absence of solvent.

(2017) Applied Organometallic Chemistry, 31, e3972 (1-12).

<https://doi.org/10.1002/aoc.3972>

228-10. Fatemeh Kamali, Farhad Shirini

Introduction of Fe₃O₄@SiO₂-ZrCl₂-MNPs for the efficient promotion of some of the multi-component reactions under solvent-free conditions.

(2017) New J. Chem., 41, 11778-11791.

229-11. Seyedeh Zahra Dalil Heirati, Farhad Shirini*, Abdollah Fallah Shojaei
Sulfonated PEG-intercalated montmorillonite [(Mt/PEG)-SO₃H] as efficient and ecofriendly nanocatalyst for synthesis of α, α'-bis(substituted benzyldiene) cycloalkanones.

(2017) Res. Chem. Int., 43, 6167-6186.

230-12. Omid Goli-Jolodar, Farhad Shirini*

An efficient and practical synthesis of benzazolo[2,1-b]quinazolinones and triazolo[2,1-b]quinazolinones catalyzed by nano sized NS-C₄(DABCO-SO₃H)₂.4Cl.

(2017) J. Iran. Chem. Soc., 14, 2275-2286.

231-13. Tahereh Ghauri Koodehi, Farhad Shirini*, Omid Goli-Jolodar

1,4-Disulfopiperazine-1,4-dium chloride ([Piper-(SO₃H)₂].2Cl) as an efficient ionic catalyst for synthesis of phthalazine derivatives.

(2017) Iranian J. Catal., 7, 257-266.

232-14. Ghauri Koodehi, T., Shirini, F.*, Goli-Jolodar, O.

Preparation, characterization and application of 1, 4-disulfopiperazine-1,4-dium chloride ([Piper-(SO₃H)₂].2Cl) as an efficient dicationic ionic catalyst for the *N*-Boc protection of amines.

(2017) J. Iran. Chem. Soc., 14, 443-456.

233-1. Goli-Jolodar, O, Shirini, F.*, Seddighi, M.

Introduction of a novel nano sized *s*-Sulfonated Brönsted acidic homogeneous catalyst for the promotion of the synthesis of 2*H*-indazolo[2,1-b]phthalazine-1,6,11(13*H*)-triones (2018) J. Nano Sci. Nano Tech., 18, 591-603.

234-2. Nader Daneshvar, Farhad Shirini* Mohaddeseh Safarpour Nikoo Langarudi, Reyhaneh Karimi-Chayjani
Taurine as a green bio-organic catalyst for the preparation of bio-active barbituric and thiobarbituric acid derivatives in water media.
(2018) Bioorganic Chemistry, 77, 68-73.

235-3. Maryam Mashhadinezhad, Farhad Shirini*, Manouchehr Mamaghani
Nanoporous Na⁺-montmorillonite perchloric acid as an efficient heterogeneous catalyst for synthesis of merocyanine dyes based on isoxazolone and barbituric acid.
(2018) Microporous and Mesoporous Materials, 262, 269-282.

236-4. M. Mazloumi, F. Shirini,* O. Goli-Jolodar, M. Seddighi
Nanoporous TiO₂ containing an ionic liquid bridge as an efficient and reusable catalyst for the synthesis of N, N'-diarylformamidines, benzoxazoles, benzothiazoles and benzimidazoles.
(2018) New J. Chem. 42, 5742-5752.

237-5. Shirini, F.*, Mazloumi, M., Seddighi, M.
Facile and efficient synthesis of tetrahydrobenzimidazo [2,1-b]quinazolin-1(2H)-one derivatives using Brønsted acidic ionic liquid immobilized on nanoporous Na⁺-montmorillonite.
(2018) J. Nano Sci. Nano Tech., 18, 1194-1198.

238-6. Nader Daneshvar, Mitra Nasiri, Maryam Shirzad , Mohaddeseh Safarpour Nikoo Langarudi , Farhad Shirini *, Hasan Tajik
The introduction of two new imidazole-based bis-dicationic Brønsted acidic ionic liquids and comparison of their catalytic activity in the synthesis of barbituric acid derivatives.
(2018) New J. Chem., 42, 9744-9456.

239-7. Monireh Pourghasemi Lati, Farhad Shirini*, Mokhtar Alinia-Asli *, Mohammad Ali Rezvani
Synthesis of 1-(benzothiazolylamino) phenylmethyl-2-naphthols accelerated by a novel magnetic nano-catalyst.
(2018) J. Iran. Chem. Soc., 15, 1655-1662.

240-8. Mostafa Golshekan, Farhad Shirini
Al&Fe₂O₃@NO₂-Ph-PMO nanocomposite: Candidate as a new energetic metastable intermolecular material.
(2018) Research Chem. Int., 44, 4469-4482.

241-9. Reyhaneh Pourhasan-Kisomi, Farhad Shirini*, Mostafa Golshekan
Introduction of organic/inorganic Fe₃O₄@MCM-41@Zr-piperazine magnetite
nanocatalyst for the promotion of the synthesis of tetrahydro-4H-chromene and pyrano
[2, 3-d]pyrimidinone derivatives.
(2018) Applied Organometallic Chemistry, 1-18, e 4371.
<http://dx.doi.org/10.1002/aoc.4371>.

242-10. Yadollah Bayat, Farhad Shirini*, Omid Goli-Jolodar
Selective oxidation of sulfides to sulfoxides using novel nano Brönsted dicationic ionic
liquid as effective reagent under grinding conditions.
(2018) J. Mol. Liq., 265, 517-524.

243-11. Mahdieh Haghighat, Farhad Shirini*, Mostafa Golshekan
Efficiency of NaHSO₄ modified periodic mesoporous organosilica magnetic
nanoparticles as a new magnetically separable nanocatalyst in the synthesis of
[1, 2, 4]triazolo quinazolinone/pyrimidine derivatives.
(2018) J. Mol. Structure, 1171, 168-178.

244-12. Monireh Pourghasemi Lati, Muhammad Iqbal Naeem, Mokhtar Alinia-Asli,
Farhad Shirini*, Mohammad Ali Rezvani, Bjoörn A° kermark, Eric V. Johnston,
Oscar Verho
Palladium nanoparticles immobilized on an aminopropyl-functionalized silica-magnetite
composite as a recyclable catalyst for Suzuki-Miyaura reactions.
(2018) ChemistrySelect, 3, 7970-7975.

245-13. Nazanin Nabinia, Farhad Shirini*, Hassan Tajik, Maryam Mashhadinezhad,
Mohaddeseh Safarpour Nikoo Langarudi
An affordable DABCO-based ionic liquid efficiency in the synthesis of 3-amino-1-aryl-
1*H*-benzo[*f*] chromene-2-carbonitrile, 1-(benzothiazolylamino)phenylmethyl-2-naphthol
and 1-(benzoimidazolylamino)phenylmethyl-2-naphthol derivatives.
(2018) J. Iran. Chem. Soc., 15, 2147-2157.

246-14. Maryam Rastgoo Yousefi, Omid Goli-Jolodar, Farhad Shirini*
Piperazine: An excellent catalyst for the synthesis of 2-amino-3-cyano-4*H*-pyrans
derivatives in aqueous medium.
(2018) Bioorg. Chem., 81, 326-333.

247-15. Setareh Jashnani, Mohadeseh Seddighi, Mohaddeseh Safarpour Nikoo Langarudi
and Farhad Shirini*

1,4-Piperazinium hydrogen sulfate {[H-pi]HSO₄} a novel di-cationic ionic liquid: Synthesis, characterization and its applications as a catalyst in various organic transformations.

(2018) Chemistryselect, 3, 11585-11592.

248-16. Masoumeh Makhsous, Frahad Shirini *, Mohadeseh Seddighi, Masoumeh Mazloumi

Efficient synthesis of pyrimido [1, 2-a] benzimidazoles and ethyl pyrimido [1,2-a]benzimidazole-3-carboxylates using Brönsted acidic ionic liquid supported on nanoporous Na⁺-montmorillonite.

(2018) Polycyclic Arom. Comp., 494-501.

DOI: 10.1080/10406638.2018.1454967.

249-17. M. Pourghasemi-Lati, F. Shirini *, M. Alinia-Asli*, M. A. Rezvani

Butane-1-sulfonic acid immobilized on magnetic Fe₃O₄@SiO₂ nanoparticles: A novel and heterogeneous catalyst for the one-pot synthesis of barbituric acid and pyrano[2,3-d]pyrimidines derivatives in aqueous media.

(2018) Appl. Orgmetallic. Chem., e4455 (1-11).

doi.org/10.1002/aoc.4455.

250-18. N. Jamasbi, M. Irankhah-Khanghah, F. Shirini,* H. Tajik, M. S. N. Langarudi
DABCO-based ionic liquids: Introduction of two metal-free catalysts for one-pot synthesis of 1, 2, 4-triazolo[4,3-a]pyrimidines and pyrido[2,3-d]pyrimidines

(2018) New J. Chem., 42, 9016-9027.

251-19. Safoura Hariri, Jahan B. Ghasemi, Farhad Shirini¹, Behnam Rasti

Probing the origin of dihydrofolate reductase inhibition *via* proteochemometrics modeling.

(2018) J. Chemometrics, 1-12, e3090.

<https://doi.org/10.1002/cem.3090>.

252-20. M. Pourghasemi-Lati, F. Shirini *, M. Alinia-Asli *, M. A. Rezvani

4-(4-Propylpiperazine-1-yl)butane-1-sulfonic acid modified silica-coated magnetic nanoparticles: A novel and recyclable catalyst for the synthesis of 5-arylidine barbituric acids and pyrano[2,3-d]-pyrimidinediones derivatives in aqueous media.

(2018) Appl. Organomet. Chem., e4065 (1-11).

doi.org/10.1002/aoc.4605.

253-21. Farhad Shirini,* Mohaddeseh Safarpour Nikoo Langarudi, Nader Daneshvar, Negar Jamasbi, Mahsa Irankhah-Khanghah

Preparation and characterization of [H₂-DABCO][ClO₄]₂ as a new member of DABCO-based ionic liquids for the synthesis of pyrimido[4,5-*b*]-quinoline and pyrimido[4,5-*d*]pyrimidine derivatives.

(2018) J. Mol. Structure, 1161, 366-382.

254-1. Shila Darvishzad, Nader Daneshvar, Farhad Shirini*, Hassan Tajik
Introduction of piperazine-1,4-dium dihydrogen phosphate as a new and highly efficient dicationic Brønsted acidic ionic salt for the synthesis of (thio)barbituric acid derivatives in water.

(2019) J. Mol. Structure, 1178, 420-427.

255-2. Maryam Mashhadinezhad, Farhad Shirini*, Manouchehr Mamaghani
Nanoporous Na⁺-montmorillonite perchloric acid as an efficient and recyclable catalyst for the chemoselective protection of hydroxyl groups.

(2019) J. Nano Sci. Nano Tech., 19, 2099-2107.

256-3. Reyhaneh Karimi-Chayjani, Nader Daneshvar, Hassan Tajik, Farhad Shirini *
Introduction of a new magnetic nanocatalyst as an organic-inorganic hybrid framework for the synthesis of pyrano[2,3-*d*]pyrimidinone(thione)s and pyrido[2,3-*d*]pyrimidines

(2019) ChemistrySelect, 4, 1205-1213.

<https://doi.org/10.1002/slct.201802916>.

257-4. Nader Daneshvar, Omid Goli-Jolodar, Reyhaneh Karimi-Chayjani,
Mohaddeseh Safarpour Nikoo Langarudi, and Farhad Shirini*
Sustainable and eco-friendly method for the synthesis of some bioactive derivatives of biscoumarin and pyrano[3,2-*c*]chromene-3-carbonitrile using Taurine, as the catalyst.

(2019) ChemistrySelect, 4, 1562-1566.

<https://doi.org/10.1002/slct.201803210>.

258-5. Fatemeh Pakpour-Roudsari, Mohadeseh Seddighi, Farhad Shirini,* Hassan Tajik
Application of [PVP-SO₃H] HSO₄ as powerful polymeric-based solid acid catalyst for Hantzsch synthesis of polyhydroquinolin-5(1*H*)-one.

(2019) Polycyclic Arom. Comp., 1-11.

DOI: 10.1080/10406638.2018.1544155.

259-6. Maryam Mashhadinezhad, Farhad Shirini,*Manouchehr Mamaghani, Mehdi Rassa

Green synthesis of dihydropyrimidine annulated heterocyclic systems catalyzed by nanoporous Na⁺-montmorillonite perchloric acid and evaluation of their biological activities.

(2019) Polycyclic Arom. Comp., 5, 1417-1433.
DOI: 10.1080/10406638.2018.1553197.

260-7. Niloufar Safari, Farhad Shirini*, Hassan Tajik
Verjuice as a green and bio-degradable solvent/catalyst for facile and eco-friendly synthesis of 5-arylmethylenepyrimidine-2, 4, 6-trione, pyrano[2,3-d]pyrimidinone and pyrimido[4,5-d]pyrimidinone derivatives.
(2019) J. Iran. Chem. Soc., 16, 887-897.

261-8. Reyhaneh Karimi-Chayjani, Nader Daneshvar, Farhad Shirini,* Hassan Tajik
Introduction of a new magnetic nanocatalyst containing a bis-dicationic ionic liquid framework for the Knoevenagel condensation reaction.
(2019) Res. Chem. Int., 45, 2471-2488.

262-9. Omid Goli Jolodar1, Khatereh Ghauri, Mohadeseh Seddighi, Farhad shirini*, Yadollah Bayat*
Preparation and characterization of ethane-1, 2-diaminium trinitromethanide as a novel energetic ionic liquid.
(2019) J. Mol. Structure, 1186, 448-457.

263-10. Reyhaneh Pourhasan-Kisomi, Farhad Shirini,* Mostafa Golshekan
Organic/inorganic Fe₃O₄@MCM-41@Zr-piperazine: An impressive magnetite nanocatalyst for N-tert-butoxycarbonylation of amines.
(2019) J. Nanoscience & Nanotechnology, 19, 3859-3870.

264-11. Maryam Mashhadinezhad, Manouchehr Mamaghani, Mehdi Rassa, Farhad Shirini*
A facile green synthesis of chromene derivatives as antioxidant and antibacterial agents via a modified natural soil.
(2019) ChemisrtySelect, 4, 4920-4932.

265-12. Maryam Mousapour, Farhad Shirini*, Masoumeh Abedini
Efficient synthesis of 2*H*-indazolo[2,1-b]phthalazine-triones using [PVPH]ClO₄ as a modified polymeric catalyst
(2019) Polycyclic Arom. Comp., 1-9.
DOI: 10.1080/10406638.2019.1593863

266-13. Mohammad Hossein Abdollahi-Basir, Farhad Shirini *, Hassan Tajik, Mohammad Ali Ghasemzadeh

Zn (BDC)-(MOF): Introduction of a new catalyst for the synthesis of pyrimido[4,5-d]pyrimidine derivatives under ultrasound irradiation in the absence of solvent.

(2019) Polycyclic Aromatic Compounds, 1-11.

<https://doi.org/10.1080/10406638.2019.1689404>

267-14. Fatemeh Pakpour-Roudsari, Mohadeseh Seddighi, Farhad Shirini*, Hassan Tajik [PVP-SO₃H] HSO₄: An efficient polymeric solid acid catalyst for the formylation and *N*-Boc protection reactions.

(2019) ChemisrtySelect, 4, 6382-6389.

DOI: 10.1002/slct.201900806.

268-15. Mohammad Hossein Abdollahi-Basir, Farhad Shirini,* Hassan Tajik, Mohammad Ali Ghasemzadeh

A facile and regioselective synthesis of some new pyrimido[4,5-d][1,2,4]triazolo[1,5-a]pyrimidinediones catalyzed by Zn(BDC)-MOF under ultrasound irradiation.

(2019) J. Mol. Str., 1195, 302-308.

269-16. Safoura Hariri, Farhad Shirini*, Jahan B. Ghasemi*and Behnam Rastid

Design of pyrimidine-based scaffolds as potential anticancer agents for human DHFR: Three-dimensional quantitative structure- Activity relationship by docking derived grid-independentd.

(2019) J. Iran. Chem. Soc., 16, 2365-2378.

<https://doi.org/10.1007/s13738-019-01706-2>.

270-17. Mahnaz Shamsi-Sani, Farhad Shirini*, Masoud Mohammadi-Zeydi

Nanostructured γ -Fe₂O₃@ Starch-n-Butyl SO₃H as new recyclable magnetic catalyst for promoting multi-component reactions.

(2019) J. Nanoscience & Nanotechnology, 8, 4503-4511.

271-18. Mahdieh Haghighat, Farhad Shirini*, Mostafa Golshekan

Synthesis of tetrahydrobenzo [b] pyran and pyrano [2, 3-d] pyrimidinone derivatives using Fe₃O₄@ Ph-PMO-NaHSO₄ as a new magnetically separable nanocatalyst.

(2019) J. Nanoscience & Nanotechnology, 6, 3447-3458.

272-19. Mahdieh Haghighat, Mostafa Golshekan, Farhad Shirini*

Periodic mesoporous organosilica containing bridged *N*-sulfonic acid groups: Promotion of the synthesis of *N*, *N'*-diarylformamidines, benzoxazoles, benzothiazoles and benzimidazoles.

(2019) ChemisrtySelect, 4, 7968 –7975.

DOI: 10.1002/slct.201900885.

273-20. M. Golshekan, F. Shirini*
Corrosion protection by epoxy/poly (aniline-co-pyrrole)/ZnO nano-composite coating.
(2019) Journal of Applied Polymer Science, 48265 (1 of 6).
DOI: 10.1002/APP.48265.

274-21. Mohammad Hossein Abdollahi-Basir, Farhad Shirini,* Hassan Tajik,
Mohammad Ali Ghasemzadeh
MIL-53 (Fe): Introduction of a new catalyst for the synthesis of pyrimido[4,5-
d]pyrimidine derivatives under solvent-free conditions.
(2019) J. Mol. Str., 1197, 318-325.

275-22. Zahra Sharifi, Nader Daneshvar, Mohaddeseh Safarpour Nikoo Langarudi,
Farhad Shirini*
Comparison of the efficiency of two imidazole-based dicationic ionic liquids as the
catalysts in the synthesis of pyran derivatives and Knoevenagel condensations.
(2019) Res. Chem. Int., 4941-4958.
<https://doi.org/10.1007/s11164-019-03874-5>.

276-23. Cobra Azimi, Farhad Shirini*, Ali Reza Pendashteh
Evaluation of COD and turbidity removal from woodchips waste water using biologically
sequencing batch reactor.
(2019) Process Safety and Environmental Protection, 128,211-227.

277-1. Mahdieh Haghighat, Farhad Shirini*, Mostafa Golshekan
Periodic mesoporous organosilica containing bridges with *N*-sulfonic acid groups: A new
catalyst for the efficient formylation of amines and alcohols.
(2020) Silicon, 12, 2087-2098.
<https://doi.org/10.1007/s12633-019-00293-4>.

278-2. Reyhaneh Karimi-Chayjani, Nader Daneshvar, Mohaddeseh Safarpour Nikoo
Langarudi, Farhad Shirini, * Hassan Tajik
Silica-coated magnetic nanoparticles containing bis dicationic bridge for the synthesis of
1, 2, 4-triazolo pyrimidine/ quinazolinone derivatives.
(2020) J. Mol. Str., 1199, 126891 (1-10).
<https://doi.org/10.1016/j.molstruc.2019.126891>.

279-3. Niloufar Safari, Farhad Shirini*, Hassan Tajik

Preparation and characterization of a novel DABCO based tetra cationic ionic liquid as a reusable catalyst for the multi-component synthesis of 2*H*-indazolo[2,1-*b*]phthalazine-trione and [1,2,4]triazoloquinazolinone derivatives under solvent-free conditions.

(2020) J. Mol. Str., 1205, 127143 (1-22).

<https://doi.org/10.1016/j.molstruc.2019.127143>.

280-4. Mohammad Biglari, Farhad Shirini,* Nosrat O. Mahmoodi, Mehdi Zabihzadeh, Maryam Mashhadinezhad

A choline chloride-based deep eutectic solvent promoted three-component synthesis of tetrahydrobenzo[*b*]pyran and pyrano[2,3-*d*] pyrimidinone (thione) derivatives.

(2020) J. Mol. Str., 1205, 127652 (1-13).

<https://doi.org/10.1016/j.molstruc.2019.127652>.

281- 5. Mehdi Zabihzadeh, Atefeh Omid, Farhad Shirini,* Hassan Tajik, Mohaddeseh Safarpour Nikoo Langarudi

Introduction of an efficient DABCO-based bis-dicationic ionic salt catalyst for the synthesis of arylidenemalononitrile, pyran and polyhydroquinoline derivatives.

(2020) J. Mol. Str., 1206, 127730 (1-10).

<https://doi.org/10.1016/j.molstruc.2020.127730>.

282-6. Mehdi Zabihzadeh, Farhad Shirini,* Hassan Tajik,* Nader Daneshvar [H-Pyrr][HSO₄] as an efficient ionic liquid catalyst for the synthesis of xanthenes, tetraketones and triazolo[2,1-*b*]quinazolinones.

(2020) Polycyclic Aromatic Compounds, 41(9), 1972–1987.

<https://doi.org/10.1080/10406638.2019.1708419>

283-7. M. Golshekan, F. Shirini*

Fe₃O₄@MCM-41-(SO₃⁻)[ZrO₂] magnetic mesoporous nanocomposite: Dispersive solid-liquid micro extraction of Pb²⁺ ions.

(2020) Silicon, 12, 747-757.

DOI 10.1007/s12633-019-00143-3.

284-8. Masoumeh Mazloumi, Farhad Shirini

Introduction of a new catalyst containing an ionic liquid bridge on nanoporous Na⁺-montmorillonite for the synthesis of hexahydroquinolines and 1,8-dioxo-decahydroacridines *via* Hantzsch condensation.

(2020) J. Mol. Str., 1217, 128326 (1-11).

285-9. Elham Hosseini Lakeh, Armaghan Yeganeh Shariyati, Mohaddeseh Safarpour Nikoo Langarudi, Hassan Tajik, Farhad Shirini *

Introduction of two new Brønsted acidic ionic liquids for the formamide and formamidine derivatization of amines.
(2020) ChemistrySelect, 5, 7488-7491.

286-11. Seyedeh Zahra Dalil Heirati, Farhad Shirini,* Abdollah Fallah Shojaei
Application of *O*-sulfonic acid poly(4-vinylpyrrolidonium) chloride as an efficient polymer-supported catalyst in the rapid synthesis of 2*H*-indazolo[2,1-*b*]phthalazine-triones and Biginelli-like products.
(2020) J. Iranian Chem. Soc., 17, 3217-3225.
<https://doi.org/10.1007/s13738-020-01982-3>.

287-12. Fatemeh Pakpour Roudsari, Mohadeseh Seddighi, Farhad Shirini,* Hassan Tajik
Application of [PVP-SO₃H] HSO₄ as an efficient polymeric-based solid acid catalyst in the synthesis of some benzimidazole derivatives.
(2020) Organic Preparations and Procedures International, 52 (4), 340-353.
<https://doi.org/10.1080/00304948.2020.1765654>.

288-13. Fariba Hassanzadeh, Farhad Shirini*, Manouchehr Mamaghani, Nader Daneshvar
Introduction of a new bis-derivative of succinimide (Bis-Su) as a sustainable and efficient basic organo-catalyst for the synthesis of arylidene malononitrile and tetrahydrobezo[*b*]pyran derivatives under green conditions.
(2020) Research on Chemical Intermediates, (1-14).
DOI 10.1007/s11164-020-04235-3.

289-14. Masoumeh Mazloumi, Farhad Shirini*
Synthesis of quinolines, quinazolines and spiro-quinazolines using nanoporous TiO₂ containing an ionic liquid bridge as an efficient and reusable catalyst.
(2020) Polycyclic Aromatic Compounds, 42:5, 2087-2106.
DOI:10.1080/10406638.2020.1827271.

290-15. Issa Mousazadeh Moghaddampour, Farhad Shirini, * Mohaddeseh Safarpour Nikoo Langarudi
Introduction of agar-entrapping as a novel strategy to improve the catalytic activity of moisture-absorbing acidic ionic liquids: A case study in the synthesis of 5-arylidene barbituric acids and pyrano[2,3-*d*]pyrimidinones.
(2020) Polycyclic Aromatic Compounds, 1-13.
DOI:10.1080/10406638.2020.1836003

291-16. Cobra Azimi, Farhad Shirini*, Ali Reza Pendashteh

Treatment of Wood Industry Wastewater by Combined Coagulation-Flocculation-Decantation and Fenton Process.

(2020) Water Environment Research, 1-12.

DOI: 10.1002/wer.1441.

292-17. Farhad Shirini*, Fatemeh Kamali

Fe₃O₄/g-C₃N₄ nanocomposites as a reusable catalyst for the synthesis of 5-arylidene-pyrimidine-2, 4, 6-(1*H*,3*H*,5*H*)-trione and pyrano-pyrimidinone derivatives in aqueous media.

(2020) J. Nanoscience & Nanotechnology, 20, 5433-5444

DOI: 10.1166/jnn.2020.17863.

293-18. Monireh Pourghasemi Lati, Farhad Shirini*, Mokhtar Alinia-Asli*, Mohammad Ali Rezvani

Fe₃O₄@SiO₂-Sultone: A novel and recyclable magnetic nanocatalyst for the efficient synthesis of 3,4-dihydropyrano[c]chromenes and 2-amino-4*H*-chromene derivatives

(2020) J. Nanoscience & Nanotechnology, 20,973-982.

DOI: <https://doi.org/10.1166/jnn.2020.16890>.

294-19. Mehdi Zabihzadeh, Farhad Shirini*, Hassan Tajik, Zahra Shokri, Shiva Karami
Magnetic Fe₃O₄/Graphene oxide/copper-based nanocomposite as a reusable catalyst for the reduction of 4-nitrophenol.

(2020) J. Nanoscience & Nanotechnology, 20, 121-127.

DOI: <https://doi.org/10.1166/jnn.2020.16889>.

295-20. Leyla Nazemi Nasirmahale, Farhad Shirini *, Hassan Tajik *, Omid Goli Jolodar
Efficient synthesis of 5-oxo-5, 6, 7, 8-tetrahydro-4*H*-chromenes assisted by poly (4-vinylpyridine).

(2020) Polycyclic Arom. Comp., 475-483.

DOI: 10.1080/10406638.2018.1450271.

296-21. Leyla Nazemi Nasirmahale, Farhad Shirini*, Omid Goli Jolodar, Hassan Tajik
Introduction of poly (4-vinylpyridine) as an efficient promotor for the synthesis of pyrano[2,3-*d*]pyrimidinones and pyrido[2,3-*d*]pyrimidines.

(2020) Polycyclic Arom. Comp., 1059-1067.

DOI: 10.1080/10406638.2018.1524389.

297-1. Fatemeh Kamali, Farhad Shirini*

Melamine: An efficient promoter for some of the multi-component reactions.

(2021) Polycyclic Arom. Comp., 41, 73-94.

DOI:10.1080/10406638.2019.1570949.

298-2. Leyla Nazemi Nasirmahale, Omid Goli Jolodar, Farhad Shirini*, Hassan Tajik *
Poly(4-vinylpyridine) (P4VPy): A basic catalyst for facile synthesis of biscoumarin and
dihydropyrano[3,2-c]chromene derivatives in aqueous media.

(2021) Polycyclic Arom. Comp., 41, 199-210.

DOI: 10.1080/10406638.2019.1576748

299-3. Issa Mousazadeh Moghaddampour, Farhad Shirini, * Mohaddeseh Safarpour
Nikoo Langarudi

Agar-entrapped sulfonated DABCO: A gelly acidic catalyst for the acceleration of one-
pot synthesis of 1, 2, 4-triazoloquinazolinone and some pyrimidine derivatives.

(2021) J. Mol. Str., 1226, 129336.

300-4. Fatemeh Kamali and Farhad Shirini*

An efficient one-pot multi-component synthesis of spirooxindoles using Fe₃O₄/g-C₃N.
nanocomposite as a green and reusable catalyst in aqueous media

(2021) J. Mol. Str., 1227, 129654.

301-5. Niloufar Safari, Farhad Shirini,* Hassan Tajik, Giacomo Saielli *

NMR and DFT studies of the aggregation behavior of dicationic dialkyl DABCO
bistriflimide salts in solution

(2021) J. Mol. Liq. 326, 115313.

<https://doi.org/10.1016/j.molliq.2021.115313>.

302-6. Fariba Hassanzadeh, Farhad Shirini*, Manouchehr Mamaghani, Nader Daneshvar
Introduction of succinimide as a green and sustainable organo-catalyst for the synthesis
of arylidene malononitrile and tetrahydrobenzo[b]pyran derivatives.

(2021) Combinatorial Chemistry & High Throughput Screening, 24,155-163.

DOI: 10.2174/1386207323666200709170916.

303-7. Meysam Alipour Khoshdel, Farhad Shirini,* Mohaddeseh Safarpour Nikoo
Langarudi, Mehdi Zabihzadeh, Mohammad Biglari

Three-component synthesis of 4*H*-pyran scaffolds accelerated by a Gabapentin-based
natural deep eutectic solvent.

(2021) New J. Chem., 45, 3138-3149.

304-8. Safoura Hariri, Behnam Rasti, Farhad Shirini*, Jahan B. Ghasemi*

A combined structure-based pharmacophore modeling and 3D-QSAR study on a series of *N*-heterocyclic scaffolds to screen novel antagonists as human DHFR inhibitors.

(2021) Structural Chemistry, 1-18.

<https://doi.org/10.1007/s11224-020-01705-7>.

305-9. Reyhaneh Pourhasan-Kisomi, Farhad Shirini*, Mostafa Golshekan

Fe₃O₄@MCM-41@NH-SO₃H: An efficient magnetically reusable nano-catalyst for the formylation of amines and alcohols.

(2021) Silicon, 1-12.

<https://doi.org/10.1007/s12633-021-01000-y>.

306-10. Reyhaneh Pourhasan Kisomi, Farhad Shirini *, Mostafa Golshekan

Fe₃O₄@MCM@ZrCl₂: A novel magnetic mesoporous nanocomposite including zirconium nanoparticles for the synthesis of 1-(benzothiazolylamino)phenylmethyl-2-naphthols.

(2021) Applied Organometallic Chem., e6212 (1-15).

<https://doi.org/10.1002/aoc.6212>.

307-11. Mostafa Fasihi-Ramandi, Nosrat O. Mahmoodi*, Atefeh Ghavidast, Farhad

Shirini, Hossein Taherpour Nahzomi

Synthesis and exploring the excited state PES of photochromic hydrogen bond assembled [2] rotaxane based on 1,3-diazabicyclo [3.1.0]hex-3-enes.

(2021) Res. Chem. Int., 1-16.

<https://doi.org/10.1007/s11164-021-04425-7>.

308-12. Zahra Rahmatizadeh-Pashaki, Nader Daneshvar, Farhad Shirini *

Introduction of bis-imidazolium dihydrogen phosphate as a new green acidic ionic liquid catalyst in the synthesis of arylidene malononitrile, ethyl (E)-3-(aryl)-2-cyanoacrylate and tetrahydrobenzo[b]pyran derivatives.

(2021) J. Iran. Chem. Soc., 1-15.

<https://doi.org/10.1007/s13738-021-02177-0>

309-13. Reyhaneh Pourhasan-Kisomi, Farhad Shirini,* Mostafa Golshekan

Synthetic Applications of a New Magnetic Mesoporous Nanocomposite Catalyst

Fe₃O₄@MCM-41@NH-SO₃H.

(2021) Organic Preparations and Procedures International, 166-175.

<https://doi.org/10.1080/00304948.2020.1870398>.

310- 14. Shila Darvishzad, Nader Daneshvar, Farhad Shirini*, Hassan Tajik

Knoevenagel condensation in aqueous media promoted by 2, 2'-bipyridinium dihydrogen phosphate as a green efficient catalyst.

(2021) Res. Chem. Int., 1-12.

<http://dx.doi.org/10.1007/s11164-021-04445-3>

311-15. Shaghayegh Khedmatgozar Asadi, Gilda Aleaba, Nader Daneshvar, Farhad Shirini *

Sustainable and green synthesis of 3-methyl-4-arylmethylene-isoxazole-5(4*H*)-one derivatives under mild conditions using a novel phosphoric acid-based molten salt as catalyst.

(2021) Sustainable Chemistry and Pharmacy, 21, 100442 (1-11).

312- 16. Akram Rahmanzadeh, Nader Daneshvar, Farhad Shirini,* Hassan Tajik, Comparison of the efficiency of two dicationic ionic liquids catalysts based on perchloric acid for the protection of alcohols.

(2021) J. Iran. Chem. Soc., 18(12), 3295-3302.

DOI: 10.1007/s13738-021-02267-z.

313-17. Maryam Mousapour, Farhad Shirini*

Piperazinium nano silica sulfonate: An efficient catalyst for the Hantzsch reaction.

(2021) ChemistrySelect, 6, 4247-4255.

DOI: 10.1002/slct.202100535.

314-18. Mahdieh Haghighat, Karen Leus, Farhad Shirini,* Pascal Van Der Voort*

Salen-decorated periodic mesoporous organosilica: From metal-assisted epoxidation to metal-free CO₂ insertion.

(2021) Chemistry: An Asian Journal, 16, 1-11.

doi.org/10.1002/asia.202100524.

315-19. Seyyedeh Cobra Azimi*, Farhad Shirini*, Alireza Pendashtehb

Preparation and application of α -Fe₂O₃@TiO₂@SO₃H for photocatalytic degradation and COD reduction of woodchips industry wastewater.

(2021) Environmental Science and Pollution Research, 28, 56449–56472.

<https://doi.org/10.1007/s11356-021-14085-0>.

316-20. Poursan Pourayoub Fomani, Hassan Tajik, Farhad Shirini,* Shahed Hassanpoor
 α -MnO₂ / GO nanocomposite: An efficient promotor for the oxidative deprotection of trimethylsilyl, tetrahydropyranyl and methoxymethyl ethers.

(2021) Journal of Nanoscience and Nanotechnology, 8; 6016-6023.

doi:10.1166/jnn.2021.19519.

317-21. Bahareh Abbas Khakiani, Farhad Shirini,* Hassan Tajik, Hossein Taherpour Nahzomi, Nader Daneshvar
Synthesis, characterization, and physicochemical properties of three new nanostructured benzimidazole-based dicationic Brønsted acidic molten salts and comparison of their catalytic and antibacterial activities.
(2021) J. Mol. Liq., 342, 117104.
<https://doi.org/10.1016/j.molliq.2021.117104>.

318-22. Maryam Mousapour, Farhad Shirini*
Synthesis of benzothiazole and benzimidazole derivatives *via* an eco-friendly method using piperazine immobilized on nano ZnO-sulfuric acid as a powerful catalyst.
(2021) J. Nanostructure Chem., 13, 405-422.
DOI: 10.1007/s40097-021-00450-5.

319-23. Dornaz Pirdelzende, Manouchehr Mamaghani,* Farhad Shirini, Mehdi Sheykhan
Copper incorporated hydroxyapatite encapsulated Kit-6 mesoporous silica as a novel and recoverable nanocatalyst for the synthesis of quinazolines.
(2021) Reaction Kinetics, Mechanisms and Catalysis, 133; 441–454.
<https://doi.org/10.1007/s11144-021-02002-y>.

320-24. Seyyedeh cobra Azimi, Farhad Shirini*, Alireza Pendashteh
Advanced Oxidation Process as a Green Technology for Dyes Removal from Wastewater: A Review
(2021) Iran. J. Chem. Chem. Eng., 40, 1-23.
DOI: 1021-9986/2021/5/1467-1489.

321-25. Reyhaneh Pourhasan-Kisomi, Mostafa Golshekan, Farhad Shirini *
Fe₃O₄@MCM@ZrCl₂: a practical magnetic mesoporous zirconium-based nanocomposite as a reusable catalyst for the synthesis of spirooxindoles.
(2021) Journal of Nanoscience and Nanotechnology, 21(11), 5765-5775.
doi: 10.1166/jnn.2021.19495.

322-1. Mozghan Aghajanzadeh, Mostafa Zamani, Fereshteh Rajabi Kouchi, Josh Eixenberger,* Dorsa Shirini, David Estrada and Farhad Shirini*
Synergic antitumor effect of photodynamic therapy and chemotherapy mediated by nano drug delivery systems.
(2022) Pharmaceutics, 14, 322-364 (Review article).

323-2. Rodabeh Kakavand, Seyyede Cobra Azimi, Omid Gholi Jolodar, Farhad Shirini*, Hassan Tajik
Morpholine stabilized on nano silica sulfuric acid: A novel reusable catalyst for the synthesis of triazoloquinazoline and polyhydroquinoline derivatives
(2022) J. Iran. Chem. Soc., 19, 2929-2948.
<https://doi.org/10.1007/s13738-022-02505-y>.

324-3. Gilda Aleaba, Shaghayegh Khedmatgozar Asadi, Nader Daneshvar, Farhad Shirini*
[2,2'-Bipyridine]-1,1'-diium perchlorate as a new and efficient dicationic organic salt for the promotion of the synthesis of bis(4-hydroxycoumarin), 5-arylidene barbituric acid and pyrano[2,3-d]pyrimidinone derivatives in water
(2022) Research on Chem. Intermediates, 48, 1953-1969.
<https://doi.org/10.1007/s11164-022-04692-y>.

325-4. Mohammad Hossein Abdollahi-Basir, Farhad Shirini,* Hassan Tajik, Mohammad Ali Ghasemzadeh
One-pot synthesis of chromenes in the presence of magnetic nanocomposite based on NH₂-UiO-66(Zr), graphene oxide and Fe₃O₄.
(2022) J. Mol. Structure, 1263, 133022.
<https://doi.org/10.1016/j.molstruc.2022.133022>.

326-5. Mostafa Zamani, Mozghan Aghajanzadeh, Setare Jashnani, Shila Darvishzad, Hossein Khoramabadi, S. Shirin Shahangian, Farhad Shirini*
Combination of chemo and photo dynamic therapy using pH triggered bio-coated spinels for treatment of breast cancer.
(2022) J. Mol. Liq., 358, 119211.
<https://doi.org/10.1016/j.molliq.2022.119211>.

327-6. Maryam Mousapour, Seyyed Alireza Mousazadeh Hassani, Farhad Shirini *
First asymmetric synthesis of Passerini-type condensation products in water using Pregabalin: A chiral amino acid for the efficient asymmetric induction.
(2022) ChemistrySelect, 7, e202200175 (1 of 7).
<https://doi.org/10.1002/slct.202200175>.

328-7. Shayan Aminian, Masoumeh Mazloumi, Mehdi Zabihzadeh, Farhad Shirini,* Hassan Tajik

Solvent-free Hantzsch condensation reaction leading to polyhydroquinoline and 1,8-dioxo-decahydroacridine derivatives promoted by nanosized Kaolin-[BTMSP]-NH₂⁺ HSO₄⁻.

(2022) ChemistrySelect, 7, e202200104 (1 of 8).

<https://doi.org/10.1002/slct.202200104>.

329-8. Mostafa Zamani, Mozghan Aghajanzadeh, Setare Jashnani, S. Shirin Shahangian, Farhad Shirini*

Hyaluronic acid coated spinel ferrite for combination of chemo and photodynamic therapy: Green synthesis, characterization, and *in vitro* and *in vivo* biocompatibility study.

(2022) International Journal of Biological Macromolecules, 219, 709-720.

330-9. Sepideh Pourdasth, Maryam Mousapour, Farhad Shirini*, Hassan Tajik
Introduction of a tropine-based dication ionic liquid catalyst for the synthesis of polyhydroquinoline and 1, 8-dioxodecahydroacridine derivatives.

(2022) Research on Chemical Intermediates, 48, 4403-4418.

<https://doi.org/10.1007/s11164-022-04816-4>.

331-10. Masoumeh Mazloumi, Farhad Shirini*

One-pot four component synthesis of *N*-aryl-1,8-dioxo-decahydroacridines, *N*-arylquinolines and spiro[indoline-3,4'-quinolines] catalyzed by a new ionic liquid immobilized on nonporous SiO₂.

(2022) Research on Chemical Intermediates, 48, 5113-5131.

<https://doi.org/10.1007/s11164-022-04851-1>.

332-11. Leyla Nazemi Nasirmahale, Farhad Shirini *, Yadollah Bayat, Masoumeh Mazloumi

Introduction of TiO₂-[bip]-NH₂⁺ C(NO₂)₃⁻ as an effective nanocatalyst for the Hantzsch reactions.

(2022) New Journal of Chemistry, **46**, 23129 - 23138.

DOI: 10.1039/D2NJ04622A.

333-12. Masoumeh Mazloumi, Farhad Shirini*

Nano rice husk ash modified with acidic ionic liquid bridge: An efficient promoter for the synthesis of 1, 2, 4-triazolo quinazolinones.

(2022) Polycyclic Aromatic Compounds, accepted for publication.

<https://doi.org/10.1080/10406638.2022.2146145>.

334-13. Mohammad Hossein Abdollahi-Basir, Farhad Shirini ,* Hassan Tajik, Mohammad Ali Ghasemzadeh
A three-component process for the synthesis of tetrazolo[1,5-a]pyrimidine-6-carbonitrile derivatives using amino-functionalized UiO-66(Zr) metal organic framework (MOF).
(2022) Polycyclic Aromatic Compounds, 42, 8, 5719–5730.
<https://doi.org/10.1080/10406638.2021.1955716>.

335-14. Ramtin Yarinia, Farhad Shirini, * Mohaddeseh Safarpour Nikoo Langarudi, Narges Seyyedi
Introduction of a new nano sized Ni-based salt for the acceleration of the synthesis of pyrano[2,3-d]pyrimidinone and 1,4-dihydropyridine derivatives.
(2022) Polycyclic Aromatic Compounds, 42, 6795-6809.
<https://doi.org/10.1080/10406638.2021.1991393>.

336-15. Gilda Aleaba, Shaghayegh Khedmatgozar Asadi, Nader Daneshvar, Farhad Shirini *
Introduction of [2,2'-bipyridine]-1,1'-diium perchlorate as a novel and highly efficient dicationic Brønsted acidic organic salt for the synthesis of 3-methyl-4-arylmethylene isoxazole-5(4*H*)-one derivatives in water
(2022) Polycyclic Aromatic Compounds, 42, 7569-7581.
DOI: 10.1080/10406638.2021.2005641.

337-16. Mohammad Biglari, Farhad Shirini,* Nosrat O. Mahmoodi, Mehdi Zabihzadeh, Mohaddeseh Safarpour Nikoo Langarudi, Meysam Alipour Khoshdel
Taurine/choline chloride deep eutectic solvent as a novel eco-compatible catalyst to facilitate the multi-component synthesis of pyrano[2,3-d]pyrimidinone (thione), hexahydroquinoline, and biscoumarin derivatives.
(2022) Polycyclic Aromatic Compounds, 42, 1452-1473.
<https://doi.org/10.1080/10406638.2020.1781212>.

338-17. Masoumeh Abedini, Reyhaneh Pourhasan Kisomi, Farhad Shirini *
Succinimide based reagents: Useful catalysts for important organic reactions.
(2022) Current Organocatalysis, accepted for publication (Review article). 9, 200-223.
DOI: <https://doi.org/10.2174/2213337209666220322115802>.

339-18. Maryam Shirzad, Mitra Nasiri, Nader Daneshvar, Farhad Shirini,* Hassan Tajik
Synthesis of 1,8-dioxo-octahydro-xanthene and tetrahydrobenzo[b]pyran derivatives promoted by two bis-imidazolium-based ionic liquids.
(2022) Current Organocatalysis, 9, 102-116.
<http://dx.doi.org/10.2174/2213337208666210726141934>.

340-1. Narges Seyedi, Leila Nazemi-Nasyrmahale, Farhad Shirini* and Hassan Tajik
Highly selective reduction of carbonyl compounds and *O*-acetylation of arylalcohols in
the presence of a nickel ion-containing DABCO-based ionic liquid.
(2023) ChemistrySelect, 8, e202204306 (1 of 15).
doi.org/10.1002/slct.202204306.

341-2. Minufar Abdollahi Khabisi , Farhad Shirini, Kasra Shirini, Hamid Khorsand, Max
Marian, Andreas Rosenkranz
Additively manufactured MAX- and MXene-composite scaffolds for bone regeneration-
recent advances and future perspectives.
(2023) Colloids and Surfaces B: Biointerfaces, 225, 113282.
<https://doi.org/10.1016/j.colsurfb.2023.113282>.

342-3. Hesamoddin Nezhadramezan-Ghasemabadi, Masoumeh Mazloumi, Seyyede
Cobra Azimi, Farhad Shirini*
One-pot three component synthesis of pyrido[2,3-*d*]pyrimidines and
benzo[4,5]imidazo[1,2-*a*]-pyrimidine-3-carbonitrile catalyzed by acidic ionic liquid
immobilized on nanoporous TiO₂.
(2023) Journal of Molecular Structure, 1274, 134435.
<https://doi.org/10.1016/j.molstruc.2022.134435>.

343-4. Seyed Mehran Hoseini Moghaddam, Mahdieh Haghighat, and Farhad Shirin*
Ionic liquid-based periodic mesoporous organosilicas: Metal/solvent-free synthesis of
formamides and formamidines.
(2023) Journal of Molecular Structure, 1274, 134473.
<https://doi.org/10.1016/j.molstruc.2022.134473>.

344-5. Masoumeh Mazloumi, Farhad Shirini *
Acidic ionic liquid bridge supported on nano rice husk ash: An efficient promoter for the
conversion of nitriles to their corresponding 5-substituted 1*H*-tetrazoles and amides.
(2023) ChemistrySelect, e202203554 (1 of 13).
<https://doi.org/10.1002/slct.202203554>.

345-6. Narges Seyedi, Farhad Shirini* and Hassan Tajik
Nickel ion-containing DABCO based ionic liquid: An efficient catalyst for the
convenient chemoselective reduction of nitroarenes, *N*-acetylation of arylamines, and
one-pot reductive acetylation of nitroarenes.
(2023) Journal of Molecular Structure, 1285, 135547.
<https://doi.org/10.1016/j.molstruc.2023.135547>.

346-7. Pouran Pourayoob Foumani, Farhad Shirini, Hassan Tajik, Shahed Hassanpoor
Aerobic, efficient, mild and heterogeneous oxidation of benzylic alcohols based on α -
 MnO_2 /GO nanocatalyst.

(2023) Organic Preparations and Procedures International, 1-9.

DOI: 10.1080/00304948.2023.2207436.

347-8. Maryam Mousapour, Narges Seyyedi, Farhad Shirini*

Introduction of a new dicationic ionic liquid deployed on cross-linked chitosan as a
sustainable catalyst for the synthesis of some spiro-oxindoles and spiro-quinazolines.

(2023) J. Mol. Stru., 1294, 136375.

348-9. Leyla Nazemi Nasirmahaleh, Farhad Shirini,* Omid Goli Jolodar

Poly(4-vinylpyridinium) trinitromethanide: a useful and efficient heterogeneous catalyst
for the synthesis of 2,3-dihydroquinazolin-4(1*H*)-one derivatives under green conditions.

(2023) Research on Chemical Intermediates, 1-21.

<https://doi.org/10.1007/s11164-023-05112-5>.

349-10. Fatemeh Shahi, Fatemeh Kamali, Bahman Sharifzadeh, Farhad Shirini*

$\text{Ag/g-C}_3\text{N}_4$ nanocomposite: Green fabrication and its application as a catalyst in the
synthesis of new series of depsipeptides as biologically active compounds and
investigation on their anti-breast cancer activity.

(2023) Bioorganic Chemistry, 1-14.

<http://dx.doi.org/10.1016/j.bioorg.2023.106804>.

350-11. Shadi Nazari, Mehdi Zabihzadeh, Farhad Shirini*, Hassan Tajik

A dicationic molten salt catalyzed synthesis of 1, 2, 4-triazolopyrimidine, quinazolinone
and biscoumarin derivatives under green conditions.

(2023) Polycyclic Aromatic Compounds, 43, 1524-1535.

<https://doi.org/10.1080/10406638.2022.2030765>.

351-12. Rodabeh Kakavand, Seyyedeh Cobra Azimi, Omid Gholi Jolodar, Farhad
Shirini*, Hassan Tajik

Morpholine stabilized on nano silica sulfuric acid: A reusable catalyst for the synthesis of
two important derivatives (thio) barbituric acid.

(2023) Polycyclic Aromatic Compounds, 43, 4670-4684.

<https://doi.org/10.1080/10406638.2022.209287>.

352-13. Leyla Nazemi Nasirmahaleh, Farhad Shirini, * Yadollah Bayat, Masoumeh
Mazloumi

Solvent-free synthesis of imidazo[1,2-a]pyrimidine-3-carbonitriles and 1,2,4-triazolo[4,3-a]pyrimidines under the catalytic performance of $\text{TiO}_2\text{-[bip]-NH}_2^+ \text{C(NO}_2)_3^-$ as a novel nanocatalyst.

(2023) Journal of Molecular Structure, 1272, 134210.

<https://doi.org/10.1016/j.molstruc.2022.134210>.

353-14. Sam Takbiri, Omid Goli-Jolodar, Farhad Shirini*, Mahmood Tavakoli Hafshejania

Introduction of an efficient protocol for the synthesis of some of the pyrimidine derivatives under solvent-free conditions.

(2023) Polycyclic Aromatic Compounds, 6, 5536-5544.

<https://doi.org/10.1080/10406638.2022.2103577>.

354-15. Akram Rahmanzadeh, Farhad Shirini*, Hassan Tajik, and Nader Daneshvar
Comparison of the accelerating effects of two ionic liquids in the oxidation of alcohols.

(2023) Organic Preparation and Procedure International, 2, 192-198.

<http://dx.doi.org/10.1080/00304948.2022.2124821>.

355-16. Fatemeh Kamali, Farhad Shirini*, Masoomeh Sayyar Ardaki

$\text{Fe}_3\text{O}_4@\text{SiO}_2$ -supported ionic liquid as an efficient catalyst for the one-pot synthesis of benzimidazolo-quinazolinone derivatives under solvent-free conditions

(2023) Polycyclic Aromatic Compounds, 43, 4787-4802.

<https://doi.org/10.1080/10406638.2022.2094970>.

356-17. Janan Metghalchi Langroudi, Masoumeh Mazloumi, Hossein Taherpour Nahzomi, Farhad Shirini*, Hassan Tajik

Tropine-based dicationic molten salt: An active catalyst in the acceleration of one-pot synthesis of spiro-2-amino-4*H*-pyran-oxindoles and bis-2-amino-4*H*-pyrans.

(2023) Journal of Molecular Structure, 1274, 134410.

<https://doi.org/10.1016/j.molstruc.2022.134410>.

357-18. Sarvin Yazdanfar, Farhad Shirini*

Introduction of two novel biocompatible deep eutectic mixtures for the promotion of the green synthesis of triazoloquinazolines: A comparative study.

(2023) Research on Chemical Intermediates, 5205-5220.

<https://doi.org/10.1007/s11164-023-05132-1>

358-19. Parissa Naddaf Rahro, Farhad Shirini *

One-pot synthesis of 1,8-dioxo-decahydroacridine and hexahydroquinoline derivatives catalyzed by a new natural deep eutectic mixture.

(2023) Research on Chemical Intermediates, 1-17 .
<https://doi.org/10.1007/s11164-023-05125-0>

359-20. Parissa Naddaf Rahro, Farhad Shirini*, Ali Ghanadzadeh Gilani
Facile synthesis of triazolo/benzazolo[2,1-b]quinazolinones derivatives catalyzed by a new deep eutectic mixture based on glucose, pregabalin and urea.
(2023) RSC Advances, 13, 31470-31479.
DOI: 10.1039/d3ra05199d

360-21. Maryam Mousapour, Farhad Shirini*
Preparation and identification of a novel dicationic acidic ionic liquid deployed on cross-linked chitosan and its application in the promotion of the synthesis of 1,2,4-triazolo[5,1-b]quinazolinones and 1,2,4-triazolo[1,5 a]pyrimidines.
(2023) Catalysis Letters, 1-16.
<https://doi.org/10.1007/s10562-023-04470-4>

361-22. Poursan Pourayoub Fomani, Maryam Mousapour, Farhad Shirini, * Hassan Tajika, Shahed Hassanpoor
Protection of alcohols in the presence of a new nano-sized DABCO-based ionic liquid catalyst containing Zinc cation.
(2023) Journal of the Iranian Chemical Society, accepted for publication, 1-13.
<https://doi.org/10.1007/s13738-023-02928-1>

362-23. Neamatullah Fekrat, Masoumeh Mazloumi and Farhad Shirini*
Copper salt of a DABCO-based molten salt: a high-performance catalyst in the one-pot synthesis of 3,4-dihydropyrimidine and polyhydroquinoline derivatives
(2023) RSC Advances, 13, 35659-35671.
<https://doi.org/10.1039/d3ra07366a>

363-24. Sanaz Sahrapeyma, Farhad Shirini, * Manouchehr Mamaghani
Introduction of a DABCO-based ionic liquid for the promotion of the synthesis of two important (thio) barbituric acid derivatives.
(2023) Iranian J. Science and Technology, Transaction A: Science, 47, 1553-1564.
DOI:10.1007/s40995-023-01554-z

364-1. Leyla Nazemi-Nasyrmahale, Farhad Shirini*

One-pot Three-component Synthesis of 1,2,4-Triazolo[4,3-*a*] pyrimidines Under the Catalytic Performance of TiO₂-Bis[TMS-NH₂⁺ C(NO₂)₃⁻] as a Novel Heterogeneous Nano-catalyst.

(2024) ChemistrySelect, 1-9.

<https://doi.org/10.1002/slct.202304677>

365-2. Maryam Mousapour, Farhad Shirini*

Comparison of the effectiveness of two piperazine based nano-catalysts in the synthesis of benzoxazoles and benzimidazoles and use of the powerful one in the N-Boc protection of amines.

(2024) RSC Advances, 14, 9218-9227.

DOI: 10.1039/d4ra01300j

366-3. Fatemeh Rahimizadeh, Masoumeh Mazloumi, Farhad Shirini *

An efficient catalysis for the synthesis of pyrimido[1,2 *a*]benzimidazoles and 1-(benzothiazolylamino) methyl-2-naphthols using ZnO@SO₃H@Tropine.

(2024) RSC Advances, 14, 13452-13462.

DOI: 10.1039/d3ra08960f

367-4. Sam Takkiri, Mahmood Tavakoli Hafshejani. Farhad Shirini,* Zahra Vari
Ruthenium-exchanged montmorillonite as an efficient and reusable catalyst for the synthesis of bis(indolyl)methanes.

(2024) J. Iranian Chem, Soc., 1-7.

<https://doi.org/10.1007/s13738-024-03038-2>

368-5. Mostafa Zamani, Mozhgan Aghajanzadeh, S. Shirin Shahangian, Setare Jashnani, Hossein Khoramabadi, Farhad Shirini*

Breast Cancer Therapy: Harnessing Biocompatible Zinc-Manganese Nano-Platform for Dual-Targeted Photodynamic Therapy.

(2024) Journal of Inorganic and Organometallic Polymers and Materials, 1-11

<https://doi.org/10.1007/s10904-024-03112-5>

369-6. Leyla Nazemi Nasirmahale, Farhad Shirini*

Synthesis of benzo[*c*]acridine derivatives using poly (4-vinylpyridinium) trinitromethanide as an efficient catalyst.

(2024) Chemical Papers, 1-9.

<https://doi.org/10.1007/s11696-024-03561-9>

370-7. Mahdi Ramezanzpour-Touchahi, Masoumeh Mazloumi, Hossein Taherpour Nahzomi, Farhad Shirini*, Hassan Tajik
Introduction of a new ionic liquid based on tropine for the acceleration of the synthesis of several hetero-aromatic compounds and investigation of its physicochemical property and antibacterial activity.
(2024) Chemical Methodologies, 8, 401-438.

371-8. S. Pourdast, M. Mousapour, Farhad Shirini,* H. Tajik
Introduction of a Tropine-based Dicationic Catalyst for the N-Boc Protection and Acetylation of Amines under Solvent-free Conditions.
(2024) Organic Preparations and Procedures International, 392-401.
<https://doi.org/10.1080/00304948.2024.230323>

372-9. Janan Metghalchi Langroudi, Masoumeh Mazloumi, Farhad Shirini*, Hassan Tajik
One-pot synthesis of pyrido[2,3-d]pyrimidines and 1,2,4-triazolo[4,3-a]pyrimidines using a tropine-based dicationic molten salt as an active catalyst.
(2024) Iranian Journal of Science and Technology, 1-11.
<https://link.springer.com/article/10.1007/s40995-024-01685-x>

373-10. Kousar Asadi, Kamyar Movagharnejad, Masoumeh Taherimehr*, Franck Launay, Farhad Shirini, and Nader Daneshvar
Engineering High-Performance Type III Porous Liquids for Carbon Capture: A Multi-Faceted Study with HKUST-1 and a Spectrum of Ionic Liquids.
(2024) Energy and Fuels, 38, 17741-17749.
<https://doi.org/10.1021/acs.energyfuels.4c02724>

374-11. Fatemeh Mirzaei Eslamlou , Maryam Mousapour , Farhad Shirini* , Hassan Tajik
Introduction of a new efficient ionic liquid catalyst containing copper cation for the synthesis of benzo[4,5]imidazo[1,2-a]pyrimidine-3-carbonitrile and tetrahydrobenzimidazo [2,1 b]quinazolin 1(2H) one derivatives.
(2024) Research on Chemical Intermediates, 50, 5471–5489.
10.1007/s11164-024-05401-7

375-12. Zahra Azizi, Sara Haghpanah-Kouchesfahani, Safiullah Nawabi, Nader Daneshvar, Farhad Shirini*, Hassan Tajik
Benzimidazolium dihydrogen phosphate: A novel green catalyst for the preparation of pyrano[2,3-d]pyrimidines and pyrano[3,2-c]chromenes in aqueous media.
(2024) Chemical Methodologies, 8, 626-644.

376-13. Mohammad Ali Frutan, Narges Seyedi, Farhad Shirini*
Introduction of a new cobalt-containing Lewis acidic ionic liquid catalyst for the reduction of nitroaromatic compounds and aldehydes and one-pot reductive acetylation of arylaldehydes.

(2024) Research on Chemical Intermediates, 5699–5723.

<https://doi.org/10.1007/s11164-024-05430-2>

377-14. Mohammad Mehdi Salehi, Shefa Mirani Nezhad , Leila Choopani, Sara Asghari, Seyedeh Mahsa Safavi , Farhad Shirini, Haniyeh Gholamikafshgari, Ali Maleki,* Ehsan Nazarzadeh Zare *

Magnetic carrageenan gum-grafted-polyacrylamide nanocomposite for uptake of cationic dyes from the aquatic systems

(2024) International Journal of Biological Macromolecules, 137796 (1-15).

<https://doi.org/10.1016/j.ijbiomac.2024.137796>

378-15. Seyedeh Seddigheh Mousavian, Farhad Shirini,* Hossein Taherpour Nahzomi
Simulation-based insights into Remdesivir coating on Ag nanoparticles for optimized COVID-19 drug delivery.

(2024) Jou. Iranian Chem. Soc., 1-11.

<https://doi.org/10.1007/s13738-024-03147-y>

379-16. Mandana Momenpour Surchani, Farhad Shirini,* Hassan Tajik, and Omid Goli-Jolodar

2,2'-Bipyridine: An efficient organo-catalyst for the synthesis of pyrano[2,3-d]pyrimidine and pyrido[2,3-d]pyrimidine derivatives.

(2024) Iranian J. Catalysis, 14, 142274.

<https://doi.org/10.57647/j.ijc.2024.1403.27>

380-17. Meysam Alipour Khoshdel, Masoumeh Mazloumi, Mehdi Zabihzadeh, Farhad Shirini*

Sustainable, scalable and one-pot synthesis of isoxazol-5(4*H*)-one and 1,2,4-triazoloquinazolinone derivatives using a natural deep eutectic solvent.

(2024) Polycyclic Aromatic Compounds, 44, 4440–4454.

<https://doi.org/10.1080/10406638.2023.2254894>

381-18. Sarvin Yazdanfar, Farhad Shirini*

Use of a new natural deep eutectic mixture for the acceleration of some of the important multi-component reactions.

(2024) Polycyclic Aromatic Compounds, 44, 5362–5379.

<https://doi.org/10.1080/10406638.2023.2264452>

382-19. Mandana Momenpour Surchani, Farhad Shirini,* Hassan Tajik, and Omid Goli-Jolodar

A Green, Facile and Efficient Synthesis of 4H-Benzo[b]pyrans Using 2,2'-Bipyridine as a Recyclable Organocatalyst

(2024) Organic Preparations and Procedures International, 56, 327-333.

<https://doi.org/10.1080/00304948.2023.2297559>

383-20. Badruddin Nabizadah, Reyhaneh Pourhasan-Kisomi, Masoumeh Mazloomi, Farhad Shirini*

Introduction of Fe₃O₄@MCM-41/Zr@Piperazine as an efficient catalyst for the protection of alcohols and amines.

(2024) Iranian J. Catalysis, 14, 142411.

<https://doi.org/10.57647/j.ijc.2024.1402.11>

384-21. Leyla Nazemi Nasirmahale, Farhad Shirini*

N1-N4-Bis (3-(trimethoxysilyl)propyl)butane-1,4-diammonium trinitromethanide on titanium dioxide: An efficient nano-catalyst for the solvent-free acetyl protection of amines and alcohols.

(2024) Iranian J. Catalysis, 14, 142417.

<https://doi.org/10.57647/j.ijc.2024.1402.17>

385-22. Sanaz Sahrapeyma, Farhad Shirini,* Manouchehr Mamaghani

One-pot synthesis of pyrimido[4,5-d]pyrimidine derivatives using a new DABCO-based ionic liquid catalyst.

(2024) Iranian J. Catalysis, 14, 142431.

<https://doi.org/10.57647/j.ijc.2024.1403.31>

386-1. Farzad Alijani Chakoli, Khatereh Ghauri, Farhad Shirini *

Designing of new functionalized imidazolium based ionic liquids attached to the anthracene derivatives and investigation on the influence of intramolecular hydrogen bondings in anions on their intermolecular hydrogen bondings and some of the other properties: A DFT M06-2X-GD3 study.

(2025) Journal of Molecular Graphics and Modelling, 134, 108885 (1-17).

<https://doi.org/10.1016/j.jmgm.2024.108885>

387-2. Hamed Nazarpour-Fard ,* Farhad Shirini, Ghobad Behzadi Pour *

Heterogeneous organic reactions in the presence of poly (vinyl pyridine) and its derivatives as catalyst or reagent.

(2025) Inorganic Chemistry Communications 172, 113691 (1-17).

<https://doi.org/10.1016/j.inoche.2024.113691>

388-3. Mahdiye Ghasemi, Narges Seyedi, Farhad Shirini,* Bahman Sharifzadeh
A highly efficacious method for the synthesis of spiro-4H-pyran and 4H-pyran
derivatives using BQC as the catalyst and investigating on their in vitro antibacterial
activity.

(2025) Research Chem. Int., 1-34.

<https://doi.org/10.1007/s11164-025-05600-w>

389-4. Mohammad Ali Frutan, Narges Seyedi, Farhad Shirini*
Cobalt Ion-Containing DABCO-Based Ionic Liquid: A Novel and Efficient Catalyst for
the Synthesis of 2,3-Dihydroquinazolin-4(1*H*)-ones.

(2025) ChemistrySelect, 1-13.

<https://doi.org/10.1002/slct.202500073>

390-5. Miragha Saei, Masoumeh Mazloumi, Narges Seyedi, Farhad Shirini *
Introduction of [DABCO](SO₃H)₂CoCl₄ as a new catalyst for the synthesis of
quinoxaline, 2,4,5-triarylimidazole, N,N'-diarylformamidine and benzazole derivatives.

(2025) Journal of the Iranian Chemical Society, 22, 1431-1452.

<https://doi.org/10.1007/s13738-025-03236-6>

391-6. Mahla Dorostkar, Leyla Nazemi-Nasymahale and Farhad Shirini*
Preparation and characterization of kaolin-[TMS]-NH²⁺ C(NO₂)³⁻ as a novel
heterogeneous nano-catalyst and its use in the synthesis of imidazo[1,2-a]pyrimidine and
1,2,4-triazolo[4,3-a]pyrimidines.

(2025) RSC Advances, 15, 26992-27015.

392-7. Fatemeh Mirzaei Eslamlou, Maryam Mousapour, Farhad Shirini*
Introduction of [C₄(DABCO)₂].(CuCl₄) as an Efficient Catalyst for the Green Synthesis
of Pyrano[2,3-d]pyrimidinones, Dihydropyrano [3,2-c]chromenes, and Dual Pathway
Synthesis of 2,3-Dihydroquinazolinone Derivatives.

(2025) New Journal of Chemistry, 49, 17285-17299.

DOI: 10.1039/d5nj02360b

393-8. Mohadeseh Amiri, Zahra Vazehi, Masoumeh Abedini *, Farhad Shirini *
Tea-Derived Catalysts: A Sustainable Approach to Organic Transformations (Review
article).

(2025) RSC Adv., 15, 44272 - 44303.

DOI: 10.1039/d5ra05453b

394. Farhad Shirini *, Mahnaz Shamsi-Sani, Masoud Mohammadi-Zeydi
Recyclable γ -Fe₂O₃@TiO₂ nanocomposite catalyst for efficient synthesis of 5-
arylidene-pyrimidine-2, 4, 6 (1*H*, 3*H*, 5*H*)-trione and pyrano [2,3-*d*] pyrimidinones
derivatives.
J. Nano Sci. Nano Tech., accepted for publication.

395. Laleh Samavi, Farhad Shirini *, Abdollah Fallah-Shojaei, Masoumeh Abedini,
Mehdi Rassa
P4VPy-CuO nanoparticles: Efficient and recyclable heterogeneous catalyst for the facile
synthesis of 2-arylbenzimidazoles and benzimidazoles and evaluation of its antibacterial
activity.
J. Nano Sci. Nano Tech., accepted for publication.

396. Mohaddeseh Amiri, Nargse Seyedi, Farhad Shirini*, Hassan Tajik
Introduction of CS-(M₃SP)₂-NH₂.HSO₄ as a novel heterogeneous acidic chitosan-based
catalyst for the synthesis of bis(pyrazolyl)methane and quinazoline-4 (3*H*)-one
derivatives.
J. Mol. Str., accepted for publication.

397. Safa Hnaifi, Farhad Shirini¹,* Bahram Ramezanzadeh, Hassan Tajik
A New Heterogeneous PMO@MXene Catalyst for One-Pot Synthesis of Substituted
5-amino-3-(aryl)-1-phenyl-1*H*-pyrazole-4-carbonitrile Derivatives.
Journal of Nanostructure in Chemistry, accepted for publication.

398. Mohaddeseh Amiri, Narges Seyedi, Farhad Shirini, * Hassan Tajik
Promoted synthesis of spirooxindoles in the presence of chitosan containing an acidic
ionic liquid bridge in aqueous medium.
RSC Adv., accepted for publication.

399. Safa Hnaifi, Farhad Shirini,* Bahram Ramezanzadeh, Hassan Tajik
Heterogeneous PMO@MXene nanocomposite: A robust and efficient nanocatalyst for
two-component synthesis of highly substituted 2-(aryl)-1*H*-benzo[*d*]imidazole
derivatives.
Scientific Reports, accepted for publication.

400. Maryam JahangirVazifeh, Mohammad Hossein Abdollahi-Basir, Bahman
Sharifzadeh, Farhad Shirini*

Fe₃O₄/cellulose/Zn-MOF: Introduction of a new catalyst for the synthesis of tetrazolo[1,5-a]pyrimidine-6-carbonitriles and diphenyl-1,3-thiazoles under solvent-free conditions.

RSC Adv., accepted for publication.

401.